| | WATER WELL REC | ORD Form WWC-5 | KSA 82a- | 1 | | | |
|--|--------------------------------------|---|---|-------------------------------------|---------------------------------------|--|-------------------------|
| 1 LOCATION OF WATER WE County: Political | | NW 14 NE | Sec | tion Number | Township Numb | er Hang | ge Number |
| Distance and direction from nea | arest town or city street a | | within city? | From M | ban hottom G | | EAST |
| 2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : | | fe like 5 | 25 | | | lture, Division of W | ater Resources |
| 3 LOCATE WELL'S LOCATION | TO GOODE THE | OMPLETED WELL | 100 | # FLEVATI | Application Nun | | |
| AN "X" IN SECTION BOX: | Depth(s) Grour | | 1 <i>8.4</i> | ft. 2 | 2 | ft. 3 | ft. |
| NW NE NE NE NE | Pur Est. Yield . 2 | np test data: Well water gpm: Well water TO BE USED AS: 5 F 3 Feedlot 6 0 | was was Public water s Dil field water | ft. af ft. af upply supply | ter h | nours pumping nours pumping 11 Injection well 12 Other (Specif | gpm gpm iy below) |
| SW SE - | Was a chemica mitted | l/bacteriological sample s | submitted to [| | es; If er Well Disinfected | | ample was sub- No |
| 5 TYPE OF BLANK CASING | RMP (SR) | 5 Wrought iron 6 Asbestos-Cement | | specify below) | | Welded Cla | |
| Blank casing diameter | ABS A | 7 Fiberglass | | | | Threaded | |
| Casing height above land surfa | | | | | π., Dia os./ft. Wall thickness o | | |
| TYPE OF SCREEN OR PERFO | • | III., Weight A.A.A. | PV | • | 10 Asbesto | | , |
| 1 Steel 3 S | stainless Steel Salvanized Steel | 5 Fiberglass6 Concrete tile | | P (SR) | 11 Other (S | Specify)sed (open hole) | , |
| SCREEN OR PERFORATION (1 Continuous slot | OPENINGS ARE: | 200 | ed wrapped wrapped | | 8 Saw cut 9 Drilled holes | ` | open hole) |
| 2 Louvered shutter | 4 Key punched | 7 Torch ft. to | _ | | 10 Other (specify) | | |
| SCREEN-PERFORATED INTE | | π. to ft. to | | | | | |
| GRAVEL PACK INTE | RVALS: From | 2.5 ft. to ft. to | 100 | ft., From | | ft. to | ft. |
| 6 GROUT MATERIAL: | 1 Neat cement | 2 Cement grout | 3 Bent | onite 4 | Other | | |
| Grout Intervals: From | ر ft. to | 2.5 ft., From | | , | ft., From | | |
| What is the nearest source of p | ossible contamination: | vore close | • | 10 Livesto | ck pens | 14 Abandoned v | vater well |
| 1 Septic tank | 4 Lateral lines | Pit privy | | 11 Fuel sto | orage | 15 Oil well/Gas | well |
| 2 Sewer lines | 5 Cess pool | 8 Sewage I | agoon | 12 Fertilize | er storage | 16 Other (specify | y below) |
| 3 Watertight sewer lines | 6 Seepage pit | 9 Feedyard | | 13 Insection | cide storage | | |
| Direction from well? | | | T | How many | | | |
| FROM TO | LITHOLOGIC | LOG | FROM | то | PLUGG | ING INTERVALS | |
| 0, 10 | n soil | | | | | | |
| 20 28 130 | un Chay | 1/4/ | | | | | |
| 19 115 44 | in Jacob C | cy | | | · · · · · · · · · · · · · · · · · · · | | |
| US 26 Fin | Carl & Roma | in Class | | | | | |
| 76 70 | VETSALL | ~ CM | | | | | |
| 77 83 6014 | OAY Shell | | | | R | ECEIVED | |
| 83 84 Sof | I LAUSTON | | | | | IC 0 7 2004 | |
| 84 86 MG 86 92 MG | dium Sand | (Waster) | | | | JG 2 7 2004 | |
| 92 96 80 | our Shall | | | | BURE | AU OF WATE | R |
| 96 100 EN | y Dufy Shoke | | | | | | |
| 7 | | | | | | | |
| CONTRACTOR'S OR LAND | OWNER'S CERTIFICAT | | | | | | |
| completed on (mo/day/year) Water Well Contractor's Licence | No UC | This Water | | | ord is true to the best o | r my knowledge and | J peliet. Kansas |
| under the business name of | // | | vveli necola i | | gnature) | | Cun)o: |
| INSTRUCTIONS: Use typewriter of ba and Environment, Bureau of Water, Gr | ll point pen. <i>PLEASE PRESS FI</i> | RMLY and PRINT clearly. Please | | erline or circle the co | prrect answers. Send top thre | | |
| records. Fee of \$5.00 for each constru | | | | | | | - |