

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Riley

Location listed as:

Location changed to:

Section-Township-Range: 31-7S-9E

19-10S-8E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW SE SE

SE SE SW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: written description, well owner's address,
area map on internet, and Manhattan 1:24,000 topo. map.

initials: DRL date: 10/15/2004

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Riley</u>		<u>NW 1/4 SE 1/4 SE 1/4</u>	<u>31</u>	T <u>7</u> S <u>9</u>	R <u>9</u> E <u>W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>From Manhattan Ga 1 mile south</u> <u>ON S. Manhattan Ave.</u>					
2 WATER WELL OWNER: <u>Roy Priestwood</u>					
RR#, St. Address, Box # : <u>974 So. Manhattan Ave.</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : <u>Manhattan, Kansas 66502</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>40</u> ft. ELEVATION: <u>17</u> ft.			
		Depth(s) Groundwater Encountered <u>1</u> ft. 2 <u>17</u> ft. 3 <u>17</u> ft.			
		WELL'S STATIC WATER LEVEL <u>17</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>501</u> gpm. Well water was <u>501</u> gpm.			
		Est. Yield <u>501</u> gpm. Well water was <u>501</u> gpm.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes <u>Yes</u> No <u>No</u> ; If yes, mo/day/yr sample was submitted					
5 TYPE OF BLANK CASING USED:					
1 Steel		5 Wrought iron		8 Concrete tile	
2 <u>PVC</u>		6 Asbestos-Cement		9 Other (specify below)	
3 RMP (SR)		7 Fiberglass		CASING JOINTS: <u>Glued</u> Clamped <u>Yes</u>	
4 ABS				Welded <u>Yes</u>	
Blank casing diameter <u>5"</u> in. to <u>20</u> ft. Dia				Threaded <u>Yes</u>	
Casing height above land surface <u>21</u> in., weight <u>5440</u> lbs./ft.				Wall thickness or gauge No. <u>40</u>	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel		5 Fiberglass	
2 Brass		4 Galvanized Steel		6 Concrete tile	
				7 PVC	
				8 RMP (SR)	
				9 ABS	
				10 Asbestos-Cement	
				11 Other (Specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot <u>10/1000</u>		5 Guazed wrapped	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
				8 Saw cut	
				9 Drilled holes	
				10 Other (specify)	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft.					
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft.					
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 <u>Bentonite</u>	
4 Other					
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft., From <u>20</u> ft. to <u>40</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? <u>South West</u> How many feet? <u>500'</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>9</u>	<u>1</u>	<u>Top Soil</u>			
<u>9</u>	<u>2</u>	<u>Brown Clay</u>			
<u>2</u>	<u>17</u>	<u>Sandy Clay</u>			
<u>17</u>	<u>22</u>	<u>Fine Sand</u>			
<u>22</u>	<u>25</u>	<u>Medium Sand</u>			
<u>25</u>	<u>40</u>	<u>Coarse Sand</u>			
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> RECEIVED AUG 17 2004 BUREAU OF WATER </div>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7/21/2004</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>451</u> This Water Well Record was completed on (mo/day/yr) <u>8/15/2004</u> under the business name of <u>Haldeman Well Drilling</u> by (signature) <u>Craig L. Culp</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					