

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Pottawatomie	SE ¼ NW ¼ SE ¼	9	T 10 S	R 8 E/W

Distance and direction from nearest town or city street address of well if located within city?

600 ft NE of 1111 Kretschmer Dr., Manhattan

2 WATER WELL OWNER: **Quaker Oats**
 RR#, St. Address, Box # : **1111 Kretschmer Drive**
 City, State, ZIP Code : **Manhattan, KS 66502**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION: 0 ft.
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 28.66 ft. below land surface measured on mo/day/yr 8/31/2004
	Pump test data: Well water was NA ft. after hours pumping gpm
	Est. Yield NA gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 8 in. to 30 ft., and in. to ft.	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft.	Threaded. <input checked="" type="checkbox"/>		
Casing height above land surface 35.64 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40	TYPE OF SCREEN OR PERFORATION MATERIAL		
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)			
12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes			
7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 20 ft. to 30 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 17 ft. to 30 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From **2** ft. to **13** ft., From **13** ft. to **17** ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
13 Insecticide storage				

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	11.5	Silt, Dark Brown to Brown			
11.5	22	Sands, fine and med. grained,			
22	30.45	Sand, coarse grained, with pebbles,			
					RECEIVED
					NOV 02 2004
					BUREAU OF WATER
					MW4-S, Abovegrade
					Project Name: BM - Quaker Oats
					GeoCore # 1174, #

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **8/31/2004** and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. **527** This Water Well Record was completed on (mo/day/yr) **8/31/04**

under the business name of **GeoCore, Inc.** by (signature) *Dale [Signature]*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.