1 LOCATION OF WATER WELL:		WELL RECORD	POITII VVV	Section I	Number		hip Number	Range Number
County: Riley	SW - 1/4		NW 1/4		3	Т	10 s	R 8E E
Distance and direction from nearest towr	or city street add							,
2 WATER WELL OWNER: Shop C	uik #16	1127 Bluen	ioni, man	ilattaii, N	.5			
RR#, St. Address, Box # : P.O Bo.	x 548: 615 S	₄ th				Board of	· Aariculture D	ivision of Water Resources
City, State, ZIP Code : Manhat	tan. KS 6650	2					ion Number:	AVISION OF Water Nessearces
LOCATE WELL'S LOCATON WITH								
AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED WEL	L .	25	ft. ELEV	ATION:		
								3 Ft. ny/yr 06/27/07
N								y/yr 06/27/07
†								s pumping
X-NWNE	Est. Yield	Gpm: Well	water was		F1	t. after	Hour	s pumping
	Bore Hole Diamete	er 8.625 Ir	1. to	25		Ft. and	nditioning	in. to Ft. 11 Injection well 12 Other (Specify below)
₩ W E	1 Domestic	3 Feed lot	6 Oil field	water supply	ly	9 Dewa	tering	12 Other (Specify below)
	2 Irrigation	4 Industrial	7 Lawn an	d garden (d	domestic) 10 Mon	itoring well	MW-1
SW SE	-							es, mo/day/yr sample was
	Submitted	acteriological sai	inpic sabilita	ca to Bopa			nfected? Yes	1
5 TYPE OF BLANK CASING USED:		5 Wrought Iron	n 8	Concrete til	le	CASING	JOINTS: GIL	ied Clamped
1 Steel 3 RMP (S	SR)	6 Asbestos-Ce	ement 9	Other (spec	cify below	v)	We	elded
2 PVC 4 ABS		7 Fiberglass					Thi	readed X
2	10	Ft.,				Ft.,		
Blank casing diameter 2	in. to 10	Dia	SCH V	In. to				in. toft.
Casing height above land surface		n., weight	3CH 4		LDS./π.		ess or gauge n Asbestos-cen	lo.
TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainles	s steel	5 Fiberglass		8 RMF				
2 Brass 4 Galvani	ized steel	6 Concrete tile	9	9 ABS		12	None used (o	y)
SCREEN OR PERFORATION OPENING			Gauzed wra	pped		8 Saw cu	,	11 None (open hole)
1 Continuous slot 3	Mill slot	6	Wire wrappe	ed		9 Drilled		
2 Louvered shutter 4 kg	Key punched		Torch cut			10 Other ((specify)	
SCREEN-PERFORATED INTERVALS:	From1							t toft.
	From							to Ft.
SAND PACK INTERVALS:	From			25				toFt.
	From	ft. to						. to Ft.
6 GROUT MATERIAL: 1 Neat ce	ement 2 0		Ĺ	3 Bentonite	•	4 Other		
Grout Intervals From3 0 f	t. to 7	Ft. From2	4	Ft. to	6	ft. Fr	om	ft. to ft.
What is the nearest source of possible co				10		ock pens		bandoned water well
1 Septic tank	4 Lateral lines	7 Pit	privy	11	Fuel s	torage	15 <u>C</u>	il well/ Gas well
2 Sewer lines	5 Cess pool	8 Se	wage lagoor	12	Fertiliz	er storage	16 C	other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Fe	edyard	13	Insecti	icide storage	· C	ontaminated Site
Direction from well?				Hov	w many f	eet?		
FROM TO CODE	LITHOLO	GIC LOG	FF	ROM	то		PLUGGING	INTERVALS
	ncrete							
	y (CL) dark b y Clay (CL) d		CK					
9 17 Silty 17 20.5 Clay	y (CL) olive g	reen to gra	v					ar and the same of
20.5 25 Silt	y Clay (CL) g	ray to brow						
25 TD End	of Borehole							
					-			
		-74						
		g i					- 10-11	
7 CONTRACTOR'S OR LANDOWNER	CEDTICIOATIO	NI: Thisster	all was (v) as	notructed	(2) ross:	otruoted	(2) plugged :::	ador my juriodiction and
7 CONTRACTOR'S OR LANDOWNER'	5 CERTIFICATIO	in. This water we						i i
Completed on (mo/day/yr) 06/27/07		585						edge and belief. Kansas o/day/yr) 07/10/07
Water Well Contractor's License No.		d Environm						J Johnson
under the business name of INSTRUCTIONS: Please fill in blanks	and circle the correct	t answers. Send t	three copies to	Kansas De	partment	of Health and	Environment.	au of Water Topeka,
Kansas 66620-0001. Telephone: 913-	296-5545. Send on	e to WAJER WEL	L OWNER an	d retain one	for your r	ecords.`	Brack	a //shu

