WATEI	R WELL RE	CCORD	Form WWC-5	Division of Wate	er Resources; App. No.	
1 LOC Coun	ATION OF W	ATER WELL:	Fraction NW4 NW 1/4 NE 1/4	Section Number	Township Number T /O S	Range Number R & EW
Distance and direction from nearest town or city street address of w			y street address of well if	Global Positioning Systems (decimal degrees, min. of 4 digits)		
located within city?				Latitude: 39.17609		
2 WATER WELL OWNER: JAM & BONNER SHEROW				Longitude: 96.56595 Elevation: 1006		
RR#, St. Address, Box # : 529 Pierre			e St	Datum:	7006	
City, State, ZIP Code : Manhathan, ICS . 66 S02 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 6.0						
3 LOC	ATE WELL'S	4 DEPTH OF COMP	LETED WELL 4.0.	ft.		
1	ATION					
	TH AN "X" IN Depth(s) Groundwater Encountered (1)					
SEC	WELL'S STATIC WATER LEVEL					
	Est. Yield .00 .gpm: Well water was					
NV	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
w	F		flot 6 Oil field water ustrial 7 Domestic (law)			her (Specify below)
'	'	2 irrigation 4 indi	ustriai / Domestic (lawi	i & garden) To Moi	moring wen	C. C. S. J. C. S.
SV	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No					
	Sample was submitted					
S						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued						
Blank ca	asing diameter.	in. to 30	ft Diameter.	. in. to ft.	. Diameter	in. toft.
Blank casing diameter in. to						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel 5 Fiberglass 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 3.0 ft. to 6.0 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 2,7 ft to 60 ft From — ft to — ft.						
GRAVEL PACK INTERVALS: From. ft. to ft. ft. ft., From ft. to ft. ft						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Rentance 4 Other						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 6 Other specify						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well How many feet?						
FROM	TO TO	LITHOLOGIC			PLUGGING INT	
0	16 0	LAY/ CLAYAY ST				
	1.0	RIT				
18		AND, FONE				
16 18 24 40		AND, FENTOM	PD.			
90	60 5	AND, CRSR				
	TED A CERCETA	OD I AND OHOUSE	DELETICATION TO		1 (2)	. 1 . (2) 1 . 1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 7.1.7.00 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) This Water Well Record was completed on (mo/day/year)						
under the business name of Associated Iviling PNC by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone						
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						

http://www.kdheks.gov/waterwell/index.html.