WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range N	lumber
County: Riley	NE 1/4 NE 1/4 SW 1/4 NW 1/4	18 T 10 S R 8	ZE W
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:	
from nearest town or intersection: If at	Latitude: 39.7857 (in deci	mal degrees)	
Former Amoco Gas Station # 8819		Longitude: 96.58.35 (in decimal degrees) Elevation:	
1701 Anderson Avenue, Manhattan, KS		Datum: WGS 84, NAD 83, NAD 27	
2 WATER WELL OWNER: Atlantic Richfield Company		Collection Method:	
RR#, Street Address, Box #: 501 Westlake Park Boulevard		GPS unit (Make/Model: Garmin 60	
City, State, ZIP Code : Houston, TX 77079		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL			
SECTION BOX: Depth(s) Groundwater Encountered (1)			
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr?/?≯(!!			
Pump test data: Well water was			
EST. YIELDgpm. Well water wasft. after hours pumping			
W - NW - - NE - E Bore Hole Diameter 8			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted			
was submitted: Yes No			
water with districted: 1 105 kg 100			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2			
Casing height above land surface. Flush in., Weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From ft. to ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From			
From			
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other			
Grout Intervals: From			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well		from well	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING IT	NTERVALS
0 5 Concrete & Sand	6rave(
5 17 Sitty clay			
17 19 Sand & Glavel			
19 20 Clay & Sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged			
under my jurisdiction and was completed on (mo/day/year) .02/22/11 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 7.10 This Water Well Record was completed on (mo/day/year)			
under the business name of . Below Ground Surface, Inc			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.	-		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			