

1 LOCATION OF WATER WELL  
 County: POTTAWATOMIE Fraction: NE 1/4 NE 1/4 SW 1/4 Section Number: 9 Township Number: T 10 S Range Number: R 8 E

Distance and direction from nearest town or city? 1.5 E OF MANHATTAN Street address of well if located within city?

2 WATER WELL OWNER: John Thomason  
 RR#, St. Address, Box #: 504 Pointz Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Manhattan, KS 66502 Application Number:

3 DEPTH OF COMPLETED WELL: 40 ft. Bore Hole Diameter: 12 in. to ... ft., and ... in. to ... ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)  
 Well's static water level: 22 ft. below land surface measured on November month 5 day 1980 year  
 Pump Test Data: Well water was ... ft. after ... hours pumping ... gpm  
 Est. Yield: 20 gpm: Well water was ... ft. after ... hours pumping ... gpm


4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued  Clamped  
 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded  
 Blank casing dia: 5 in. to 0-30 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.  
 Casing height above land surface: 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 Screen-Perforation Dia: 5 in. to ... ft., Dia ... in. to ... ft., Dia ... in. to ... ft.  
 Screen-Perforated Intervals:  
 From 30 ft. to 40 ft. From ... ft. to ... ft. From ... ft. to ... ft.  
 Gravel Pack Intervals:  
 From 15 ft. to 40 ft. From ... ft. to ... ft. From ... ft. to ... ft.

5 GROUT MATERIAL:  
 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grouted Intervals: From 5 ft. to 15 ft. From ... ft. to ... ft. From ... ft. to ... ft.

What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)  
 13 Watertight sewer lines  
 Direction from well: N How many feet: 120 ? Water Well Disinfected? Yes  No  
 Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes  No   
 If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts  
 Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on November month 5 day 1980 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182  
 This Water Well Record was completed on December month 2 day 1980 year under the business name of STRADER DRIG Co Inc by (signature) Dale Ashen

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
<u>0</u>	<u>6</u>	<u>TOP SOIL</u>			
<u>6</u>	<u>18</u>	<u>SILTY CLAY</u>			
<u>18</u>	<u>25</u>	<u>FINE SAND</u>			
<u>25</u>	<u>40</u>	<u>FINE SAND, COARSE SAND, GRAVEL</u>			

ELEVATION:  
 Depth(s) Groundwater Encountered 1. 22 ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)

OFFICE USE ONLY  
T  
10  
R  
8  
EW  
SEC.  
9  
NE 1/4  
NE 1/4  
SW 1/4