r - 1				TER WELL REC	ORD For		KSA 82a-		N1	n	
	ION OF WAT		Fraction	NIVA/	, NE		tion Number			Range Number	- 1
County:		Riley om nearest to	SW ½			1/4	18	⊤ 10	<u> </u>	R 8	<u>E</u>
Distance a	ila allection il	om nearest to	Wil Of City Street a	1015 N	3 rd St. M	anhattan	, KS				
2 WATER	WELL OWN	FR CM 9	131				£				
				. Room 280	06			Board of Ag	riculture. Divi	sion of Water Resour	rces
RR#, St. Address, Box # : 9 Greenway Plaza, Room 2806 Board of Agriculture, Division of Water Res City, State, ZIP Code : Houston, TX 77046 Application Number:											
LOCATI	E WELL'S LC	CATON WIT	4 ,		<u></u>						
AN "X"	IN SECTION	BOX:	DEPTHOF								
	N		T .		_					3	
† 	!	i i								yr	
-	NW	NE								umpingG	
Est. Yield Gpm: Well water was Ft. after E Bore Hole Diameter 8.625 In. to 50 ft. and WELL WATER TO BE USED AS: 5 Public water supply 8 Air condition 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering								Hours p	oumpingG	ipm	
≅ W-			Bore Hole Diam	neter 8.62 5	In. to	50)	ft. and	in	. to	Ft.
Ī		1	WELL WATER	TO BE USED	AS: 5 Pu	blic water s	upply	8 Air condi	tioning 1	I Injection well	
-	SW	SE									,w)
↓	X	-	l l					ic) 10 Monitori			
_	S		i	l/bacteriologica	l sample su	ibmitted to [mo/day/yr sample wa	as
 - -			Submitted					ater Well Disinfed			
	F BLANK CA									d Clamped	
1 St		_		6 Asbesto	s-Cement	9 Other	(specify belo	^{DW)} —	Weld		
2 PV	/C	4 ABS		7 Fibergla	SS			L	Threa	ided X	
Plank again	a diameter	2	in to 2	∩ Ft.,		In 1	20	ft Dia		in. to	f+
Cooine boi	ig ularrieter		in. to 21	In weight	SC	:H 40					
			ON MATERIAL:	_ in., weight				10 As			
1 Ste				5 Fibergla	cc						
2 Bra			anized steel	6 Concrete	ss e tile	9	ABS	12 No	one used (one	n hole)	
	R PERFORA					d wrapped				11 None (open hole	
1 Co	ntinuous slot	3	Mill slot		6 Wire w	rapped		9 Drilled hole			
2 Lo	uvered shutte	r 4	Key punched		7 Torch	cut		10 Other (spe	ecify)		
SCREEN-P	ERFORATE	INTERVALS	S: From	20 ft	. to	50	ft. I	From	ft. to)	ft.
)	
SA	ND PACK IN	TERVALS:	From)	
			From		. to			From			Ft.
6 GROUT	MATERIAL:	1 Neat	cement 2		ı		tonite				
				Ft.		Ft.					- 1
Grout Interv	als From2	0.5	ft. to 16	From3	16	to	18	ft. From		ft. to	ft.
What is the	nearest sour	ce of possible	contamination:				10 Lives	tock pens		ndoned water well	
1 Se	ptic tank		4 Lateral lines	. 7	Pit privy		11 Fuel	storage	15 <u>Oil</u>	well/ Gas well	
2 Se	wer lines		5 Cess pool	8	Sewage la	agoon	12 Fertil	izer storage		er (specify below)	
3 Wa	atertight sewe	r lines	6 Seepage pit	9	Feedyard		13 Insec	ticide storage	Coi	ntaminated Site	
Direction fro	om well?	T- T			·····	r	How many				
FROM	ТО	CODE		LOGIC LOG	,	FROM	то	Р	LUGGING IN	TERVALS	
0	1		psoil				<u> </u>				
1	28		Ity Clay				ļ				
28	50 TD		lay nd of Boreho	ماه							-
50	טו		iu oi boreilo	110							\dashv
					····						-
		 		·				·			
											\dashv
	<u> </u>	 									_
7 CONTR	ACTOR'S OF	LANDOWNE	D'S CEDTIEICAT	ION: This water	ar well was	(v) construc	ted (2) ress	netructed or (2)	plugged used	er my jurisdiction and	
completed of	on (mo/day/yi)	06/1	585						ge and belief. Kansa	
				<i></i>						lay/yr) 07/08/14	. .
under the bu	usiness name	Of		ted Enviro			as Denartmen	y (signature)	vironment Bu	Johnson Ju of Water, Jopeka,	\dashv
			13-296-5545. Send						B 1		