WATER WELL I		Divi	sion of Water		
	Correction Change in Well Use		urces App. No.		Well ID
1 LOCATION OF V		Sect	ion Number	Township Numb	The state of the s
County: ///			ol Address wh	T /O S	R & DE W
Rusiness: C V DRY ESSIMIC direction from nearest town or intersection): If at owner's address, check here:					
Address: 3490 SWAMP ANGLE ROAD 901 KNOX LANE, MANUATTAN, US					
Address: SATO SWAN State: V-S ZIP: 66502					
		-4.67-			
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL		5 Latitude	390 12,1	(decimal degrees)
SECTION BOX:	Depth(s) Groundwater Encountered: 1)	ft.	Longitud	le: 96° 32,	174 (decimal degrees)
N	2)			Datum: WGS 84	1 🔲 NAD 83 📕 NAD 27
	WELL'S STATIC WATER LEVEL: 29				
NWNE	above land surface, measured on (mo-da	T BUGPS	(WAAS enabled? Yes No)		
11.1.1	Pump test data: Well water was		☐ Land Survey ☐ Topographic Map		
W X E	after hours pumping gpm		Online Mapper		
SW SE	Well water was				
	afterhours pumping	gpm	6 Elevation	n: A	☐ Ground Level ☐ TOC
S	Estimated Yield:	ft and			GPS Topographic Map
1 mile	in to	A.			
7 WELL WATER TO BE USED AS:					
1. Domestic:	5. Public Water Supply: well ID.		10. 🔲 Oil Fie	eld Water Supply: le	ase
Household	6. ☐ Dewatering: how many wells?		Test Hole	: well ID	•••••
Lawn & Garden	7. Aquifer Recharge: well ID				
Livestock 2. Irrigation	8. Monitoring: well ID				
3. Feedlot					ar □ verticar scharge □ Inj. of Water
4. Industrial	☐ Air Sparge ☐ Soil Vapo ☐ Recovery ☐ Injection				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:					
Water well disinfected? By Yes T No					
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)					
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped 🖼 Saw Cut ☐ None (Open Hole)					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From 29 ft. to 55 ft., From ft. to ft., From ft. to ft.					
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage					
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well					
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well					
Other (Specify) Direction from well?					
10 FROM TO	LITHOLOGIC LOG	FROM	TO LIT		PLUGGING INTERVALS
0 17	SANDY TOPSOIL	AROUN		IXO. EOO (COIRE) OX	1 ECOGING INTERVALE
17 36	SAND (YEYOU /MED	CURSE			
36 55	SAND (BLUE ICOURSE')				
				and the second second	
	and the second	Notes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This waster well					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year). And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 15.4 This Water Well Record was completed on (mo-day-year) 15.4 This water well Record was completed on (mo-day-year) 15.4					
Kansas Water Well Con	ntractor's License No5.18 This V	ater Well Reco	rd was comple	ted on (mg-day-ye	ar) S. /. 1. 231.7.
under the business nam	e of RLUE VALLEY DRU	LNGT. Sign	ک	- 1-1.	
under the business name of					
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015					
Trinit up at het Il	a construction will find out being				