	R WELL F		WWC-5		vision of Water		Well ID BSW-22B	
	al Record [ge in Well Use Fraction		ources App. No.	Township Numb		
1 LOCATION OF WATER WELL: County: Pottawatomie			14 14 SE 14	(7	T 10 S	R 8 ■E □ W	
County:					ral Address wh		(if unknown, distance and	
					lirection from nearest town or intersection): If at owner's address, check here:			
Address: 1000 SW Jackson, Suite 110					ell is located in basin east of Tuttle Creek Blvd and North of			
/ received.					Goodfood Pl. in Manhattan, KS.			
2 LOCATE WELL							34	
WITH			MPLETED WELL:				64(decimal degrees)	
CECTION BOY. Depth(s) Groundw			Encountered: 1)2		Longitu	Longitude:		
	N		3) ft., or 4) [al Datum: WGS 8 or Latitude/Longitude		
	T		below land surface, measured on (mo-day-yr)			(unit make/model:	Garmin 60c	
- NW	NE		above land surface, measured on (mo-day-yr)			(WAAS enabled?		
			Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map		
w	E		after hours pumping gpm			Online Mapper:		
SW -	SE		Well water was ft. after hours pumping gpm					
	X	Estimated Yield:		Rhin			t. Ground Level TOC	
	S	Bore Hole Diameter:	Bore Hole Diameter:3.5 in. to66.5			Source: Land Survey GPS Topographic Map		
1	mile		in. to			Other		
7 WELL WATER TO BE USED AS:								
1. Domestic			ater Supply: well ID				ease	
House	ehold & Garden						Hole: well IDsed □ Uncased □ Geotechnical	
Lives			ig: well ID		_	12. Geothermal: how many bores?		
2. Irriga		al Remediation: well ID				tal Vertical		
3. ☐ Feedlot ■ Air Sparg			☐ Soil Vapor Extraction b) Open Loop ☐ Surface I					
4. Industrial Recov			☐ Injection		13. 🔲 Other	(specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ☐ Yes ■ No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
Louvered Shutter								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: ■ Neat cement □ Cement grout ■ Bentonite □ Other								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic		☐ Lateral Line ☐ Cess Pool	es ☐ Pit Privy ☐ Sewage Lag		Livestock Pens Fuel Storage		cide Storage	
. —	tight Sewer Li	-		_	Fertilizer Storage		oned Water Well ell/Gas Well	
Other (Specify) Dry. Cleaner. Facility								
Direction from well?								
10 FROM		LITHOLO	GIC LOG	FROM	TO LI	THO. LOG (cont.) or	r PLUGGING INTERVALS	
0		Topsoil						
3		Clay, Tan, Stiff	d					
20		Sand, fine grain, poor		-				
	+	larger grain as depth	increases.					
	+	<u> </u>		+				
	+			Notes: 0	Linderella/Stickel	Cleaners Project		
	Notes: Cinderella/Stickel Cleaners Project							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .1.0/25/20.17 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 7.10 This Water Well Record was completed on (mo-day-year) .1.1/13/2017								
under the business name of Below Ground Surface. Inc. Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Heath and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 1/20/2015								