WATEI	WELL.	RECORD Form	Corre	ectio	vision of Water		ĺ	NA(4	
WATER WELL RECORD Form WWC-5 Original Record Correction Change in Well Use					ources App. No.		Vell ID	MW-1	
1 LOCATION OF WATER WELL: Fraction County: Riley NE ½ NW ½ NE ½				tion Number T 10 S R 8 E D					
2 WELL	OWNER:	Oppy's Rental LLC	-		Street or Rural Address where well is located (if unknown, distance and				
Address: 14815 Lake Creasing D.I					direction from nearest town or intersection): If at owner's address, check here:				
Address:		Wamego, Ks. 66547	, nu.	605 S. 3ra	605 S. 3rd Street, Manhattan, Ks.				
City:	CE WELL			00 0		20 17205			
WITH	"X" IN	4 DEPTH OF COM		5 Latitude	39.17395	(decimal degrees)		
	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2)			☐ Dry Well	Dry Well Horizontal Datum: WGS 84 NAD 83 N			decimal degrees)	
	IX	WELL'S STATIC WA	TER LEVEL:2	2.28 ft	Source for Latitude/Longitude:				
NW	NE	below land surface above land surface	, measured on (mo-day . measured on (mo-day	/-yr)		GPS (unit make/model:			
1	I I	Pump test data: Well w	st data: Well water was ft.			■ Land Survey □ Topographic Map			
w	W hours pumping Well water was				☐ Onlin	ne Mapper:			
SW	SE		pumping						
		Estimated Yield:	gnm		6 Elevatio	6 Elevation: 1014.61			
1	S mile———	Bore Hole Diameter:	9./5. in. to in. to			Other			
		O BE USED AS:							
1. Domestic			ter Supply: well ID		10. Oil Fi	eld Water Supply: lease	•••••		
	& Garden	7. Aguifer R	 Dewatering: how many wells? Aguifer Recharge: well ID 			11. Test Hole: well ID			
Livest			7. ☐ Aquifer Recharge: well ID			12. Geothermal: how many bores?			
			al Remediation: well I : □ Soil Vapor		a) Close	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	EXHACHOH	(specify):				
		eriological sample subm	itted to KDHE?	Yes No	If yes, date sa	mple was submitted:			
		GUSED: Steel PV	C Other	CASIN	IG JOINTS: F	☐ Glued ☐ Clarmed ☐	Welded	Threaded	
Casing diam	neter 2	in. to 18 ft., surface 0 in	Diameter	in. to	ft., Diamete	r in. to	ft.	_	
Casing heigh	ht above land	surface	. Weight	lbs./ft.	Wall thicknes	is or gauge No\$GI1.4U.	••••••		
☐ Steel		inless Steel Fiber			Other	(Specify)		,	
☐ Brass		Ivanized Steel		used (open hole)				
	OR PERFO	RATION OPENINGS AI Mill Slot Ga		orch Cut D	tilled Holes	Other (Specify)			
T Louve	ered Shutter	☐ Key Punched ☐ W	ire Wrapped	aw Cut N	one (Open Hole				
SCREEN-I	PERFORAT	ED INTERVALS: From	.18 ft. to .33	ft., From	ft. to	ft., From	ft. to	ft.	
9 GROUT	MATERI	CK INTERVALS: From	Cement grout R	entonite	ther coment p	ead	ft. to	n.	
Grout Interv	als: From	1 ft. to16	ft., From . 0	ft. to1	ft., From	ft. to	. ft.		
Nearest sou		ole contamination: Lateral Line	s 🔲 Pit Privy		Livestock Pens	☐ Insecticide	Storage		
☐ Sewer		☐ Cess Pool	☐ Sewage La		Fuel Storage	☐ Abandoned		/ell	
	ight Sewer L				Fertilizer Storag	e Oil Well/Ga	s Well		
		ontaminated site				ft.			
10 FROM	TO	LITHOLOG	IC LOG	FROM	TO LI	THO. LOG (cont.) or PLU	JGGING	INTERVALS	
0	15	Sand, light brown, fine							
15 22	22 33	Sand, light brown, fine Sand, light brown, coa							
	100	slight petroleum odor	ise, wet to saturat						
77-1-11/11/17									
				No.					
				Notes:					
							11 - 2 - 41		
11 CONT	RACTOR'	S OR LANDOWNER'S	CERTIFICATION	V: This water	well was C	onstructed, reconstructed	ucted, or	r plugged	
Kansas Wa	under my jurisdiction and was completed on (mo-day-year) .3-8-2023								
under the b	usiness nam	e of Environmental Pr	iority Service, Inc.	Sig	mature 7.791	mt			
Mail :	l white copy al	ong with a fee of \$5.00 for <u>each</u> St., Suite 420, Topelea, Kansas (constructed well to: Kar	isas Department	of Health and Env	ironment, Bureau of Water, (3WTS Sec	ction,	
Visit us at hur	;//www.kdhek	s.gov/waterwell/index.html	OSIA-1507. IVIDIR UNC IV	KSA 82a-12				//10/2015	

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Charlotte Phillip 112 SW 6th Street, Suite 201 T. 10 R.8E Sec. 19

April 18, 2023

Topeka, Kansas, 66603

Riley County

RE: Monitor Well Elevation Survey 605 S. 3rd St., Manhattan, Kansas

Proj. 23-00M MKC - Manhattan A5-081-40499

Bench Mark: Chisled X on top of the NE bolt on the North leg of the Casey's sign base near the NW Corner of property.

Elev: 1016.03		orth 5250	West 796		(from SE Cor. Sec. 19-10-8E)		
MW-1	rim	1014.90	North	5226	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1014.61	West	759	Lat= 39.17395 Long = 96.56001		
MW-2	rim	1015.63	North	5233	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1015.03	West	808	Lat= 39.17396 Long = 96.56018		
MW-3	rim	1015.76	North	5079	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1015.03	West	711	Lat= 39.17354 Long = 96.56983		
MW-4	rim	1015.55	North	5178	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1015.31	West	777	Lat= 39.17382 Long = 96.56007		
MW-5	rim	1015.75	North	5130	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1015.19	West	816	Lat= 39.17368 Long = 96.56021		
MW-6	rim	1014.89	North	5075	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1014.64	West	824	Lat= 39.17353 Long = 96.56023		
MW-7	rim	1016.87	North	5123	NW1/4,NE1/4,NE1/4,NE1/4		
	top pipe	1016.25	West	646	Lat=39.17367 Long = 96.55960		
MW-8	rim	1015.40	North	5164	NW1/4,NE1/4,NE1/4,NE1/4		
	top pipe	1015.01	West	631	Lat= 39.17378 Long = 96.55955		
MW-9	rim	1015.01	North	5258	NE1/4,NW1/4,NE1/4,NE1/4		
	top pipe	1014.47	West	692	Lat= 39.17404 Long = 96.55977		

Lat & Long derived from Manhattan 7.5' quad map. WGS84

Elevation established from NGS BM FF 115. NAVD 88

If you have appropositions, please feel free to call me. Thank you for the opportunity to be of sortice to you.

Dennis L Handke RLS

Approx 186 Zuz 5



DESIGNED BY:	CP
DRAWN BY:	CP
CHECKED BY:	RW
APPROVED BY:	CC
FEBRUA	RY 2023



MW Location Site Map Oppy's Rental



605 S 3rd Street Manhattan, Kansas A5-081-40499 **FIGURE**

1

Limited Site Assessment DRAFT