			Corr	ecti	58				
			WWC-5		vision of Water	7	Vell ID MW-8		
1 LOCA	TION OF	Correction Cha	Fraction	Se	ction Number	Township Number	Range Number		
	y: Riley	Oppy's Rental LLC	NW¼ NE¼ NE		NE ¼ 19 T 10 S R 8 ■ E □ W Street or Rural Address where well is located (if unknown, distance and				
Business	:	14815 Lake Crossi			direction from nearest town or intersection): If at owner's address, check here:				
Address:		Wamego, Ks. 6654		605 S. 3rd	605 S. 3rd Street, Manhattan, Ks.				
City;		7		1					
3 LOCAT		4 DEPTH OF CO	MPLETED WELL;	33	t. 5 Latitude	39.17378	(decimal degrees)		
SECTION	ON BOX:	Depth(s) Groundwate	r Encountered: 1)	Z.Uft,	Longitu	de: -96,55955	(decimal degrees)		
	N	WELL'S STATIC W	ATER LEVEL: 27	2.74 ft	Source fo	al Datum: WGS 84 Cor Latitude/Longitude:	I NAD 83 LI NAD 27		
	X	below land surface	ce, measured on (mo-da	y-yr). 3-14-20	☐ GPS	(unit make/model:			
NW-	NE		ce, measured on (mo-day water was			(WAAS enabled? ☐ Ye I Survey ☐ Topographi			
W	E	after hou	rs pumping	gpm		ne Mapper:			
SW	SE		water was			1015.01			
		Estimated Yield:	gpm		6 Elevatio	n: 1015.01 ft. □ Land Survey □ GPS	Ground Level TOC		
1	S mile		8.75 in to 33		Source.	Other	□ Topograpnic Map		
		O BE USED AS:	22, 10				- W		
1. Domestic			Vater Supply: well ID		10. Oil Fi	ield Water Supply: lease	•••••		
	& Garden	7. Aquifer	ing: how many wells?. Recharge: well ID		11. Test Hole: well ID				
	☐ Livestock 8. Monitoring: well ID				12. Geothermal: how many bores?				
 Irrigat Feedle 		9. Environmen	ntal Remediation: well I ge			Loop Surface Discha			
4. Indust	rial	☐ Recover			13. 🗂 Other	(specify):			
		eriological sample sub	mitted to KDHE?	Yes No	If yes, date sa	imple was submitted:	***************************************		
		l? ☐ Yes ■ No G USED: ☐ Steel ■ P	VC D Other	CASI	NG IOINTS: F	Glued Clamned C	Welded Threaded		
Casing dian	eter2	in. to 18 f	., Diameter	. in. to	ft., Diamete	in. to	fL		
		d surface		lbs./ft.	Wall thicknes	ss or gauge No. SCN.AU.	•••••		
Steel		ainless Steel Fib			Other ((Specify)			
Brass			crete tile None	used (open hol	e)				
	DR PERFO	RATION OPENINGS		orch Cut I	Drilled Holes	Other (Specify)			
Louve	ered Shutter	☐ Key Punched ☐	Wire Wrapped S	aw Cut	None (Open Hole)			
SCREEN-I	PERFORA'	TED INTERVALS: Fro	m .18 ft. to .33 m 16 ft. to .33	ft., From	ft. to	ft., From	ft. to ft.		
9 GROUT	MATER	AL: Neat cement	Cement grout B	entonite (Other Cement	ad .			
Grout Interv	als: From .	1 ft to 16	ft., From . Q	. ft. to1	ft., From	ft. to	. ft.		
☐ Septic	Tank	Lateral Lin			Livestock Pens	☐ Insecticide			
☐ Sewer	Lines ight Sewer L	☐ Cess Pool ines ☐ Seepage P			Fuel Storage Fertilizer Storage	☐ Abandoned			
Other	Specify) .Co	ontaminated site		• • • • • • • • • • • • • • • • • • • •			S Well		
Direction for 10 FROM		TITLOT C					ICCINIC INTERNALO		
0	15	Sand, brown to light	GIC LOG brown, fine, damp,	FROM	TO LF	THO. LOG (cont.) or PLU	MOING INTERVALS		
		slity in part							
15	23	Sand, light brown to moist	gray, fine to mediun	n					
23	25	Sand, light brown to	grav. medium . wet				anni farationi di anni		
25	33	Sand, gray, coarse, v	vet to saturated						
				Notes:					
				-					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .3-7-2023 and this record is true to the best of my knowledge and belief.									
Kansas Wa	ter Well Co	entractor's License No.	604 This W	ater Well Red	ord was comple	eted on (mo-day-year)	owledge and belief.		
under the b	usiness nan	<u>ae of Environmental l</u>	Priority Service, Inc.	Si	gnature I I.				
		long with a fee of \$5.00 for each. St., Suite 420, Topeka, Kansa							
		s.gov/waterwell/index.html		KSA 82a-12			evised 7/10/2015		

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Charlotte Phillip 112 SW 6th Street, Suite 201 T. 10 R.8E Sec. 19

April 18, 2023

Topeka, Kansas, 66603

Riley County

RE: Monitor Well Elevation Survey 605 S. 3rd St., Manhattan, Kansas

Proj. 23-00M MKC - Manhattan A5-081-40499

Bench Mark: Chisled X on top of the NE bolt on the North leg of the Casey's sign base near the NW Corner of property.

Elev: 1016.03		orth 5250	West 796		(from SE Cor. Sec. 19-10-8E)
MW-1	rim	1014.90	North	5226	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1014.61	West	759	Lat= 39.17395 Long = 96.56001
MW-2	rim	1015.63	North	5233	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1015.03	West	808	Lat= 39.17396 Long = 96.56018
MW-3	rim	1015.76	North	5079	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1015.03	West	711	Lat= 39.17354 Long = 96.56983
MW-4	rim	1015.55	North	5178	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1015.31	West	777	Lat= 39.17382 Long = 96.56007
MW-5	rim	1015.75	North	5130	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1015.19	West	816	Lat= 39.17368 Long = 96.56021
MW-6	rim	1014.89	North	5075	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1014.64	West	824	Lat= 39.17353 Long = 96.56023
MW-7	rim	1016.87	North	5123	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	1016.25	West	646	Lat=39.17367 Long = 96.55960
MW-8	rim	1015.40	North	5164	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	1015.01	West	631	Lat= 39.17378 Long = 96.55955
MW-9	rim	1015.01	North	5258	NE1/4,NW1/4,NE1/4,NE1/4
	top pipe	1014.47	West	692	Lat= 39.17404 Long = 96.55977

Lat & Long derived from Manhattan 7.5' quad map. WGS84

Elevation established from NGS BM FF 115. NAVD 88

If you have appropositions, please feel free to call me. Thank you for the opportunity to be of sortice to you.

Dennis L Handke RLS

Approx 186 Zuz 5



DESIGNED BY:	CP
DRAWN BY:	CP
CHECKED BY:	RW
APPROVED BY:	CC
FEBRUA	RY 2023



MW Location Site Map Oppy's Rental



605 S 3rd Street Manhattan, Kansas A5-081-40499 **FIGURE**

1

Limited Site Assessment DRAFT