

1 LOCATION OF WATER WELL:		Fraction SW 1/4 NW 1/4 SE 1/4		Section Number 6		Township Number T 10 S		Range Number R 8 EW	
County: Riley									
Distance and direction from nearest town or city street address of well if located within city?									
Blue Hills Center, Northwest Corner of Tuttle Creek Blvd & Kimball Avenue, Manhattan									
2 WATER WELL OWNER:		Sam Samarra/RAC Enterprises							
RR#, St. Address, Box # :		3003 Anderson Avenue, Suite 1001A				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Manhattan, Ks. 66502				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 15 ft. ELEVATION: 15 ft.							
		Depth(s) Groundwater Encountered 1. 14 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 5.82 ft. below land surface measured on mo/day/yr 06-29-93							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm; Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 7 5/8 in. to 15 ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded							
2 PVC 4 ABS		7 Fiberglass Threaded							
Blank casing diameter in. to ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface in. weight lbs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 4 ft. to 15 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 3 ft. From 3 ft. to 4 ft. From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? north		How many feet? 10							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 5" CONCRETE									
5" 4' CLY, BRN, SILTY									
4' 8.5 CLY, BL/GY, SHALY									
8.5 15 CLY, BLK, SILTY		SB3							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 06-25-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 07-14-93 under the business name of GeoCore Services, Inc. by (signature) Doug Ray									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									