Riley SE SW NW CORRECTION TO WATER WELL RECORD (WWC-5) 20-10-8E

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:

listed as $\angle ot 4$, 20-105-8Echanged to \underline{SE} , \underline{SW} , \underline{NW} , $\underline{20}$ - $\underline{105-8E}$

Other changes made: Initial statements:	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Comment:	Loc. is just under 1/2 mi. 5. of Hwy. 177
on McDowell	Crk Rd., w. side of road.
Phone verification method: #Man	. call to wellowner (785-776-5077), hattan 1:24,000 topo. map initials: DRL date: 1/28/99

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

		Form WWC-5 KSA 82a	T	
OCATION OF WATER WELL:		Section Number 2 O	Township Number	Range Number
ance and direction from nearest town	or city street address of well if located	within city? TAKE	ic downii Crart 120	ad 2 Miles
VATER WELL OWNER: Shilli			Poord of Agriculture	Division of Water Resource
State, ZIP Code : MIN	HAN, HANSAS 665		Application Number:	
N "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1.	<i>[.7</i> tt. 2	2 ft. 3	3
NW NE	est. Yield . 5. O gpm: Well water Bore Hole Diameter	rwas ft. a	Ifter hours puter hours puter hours puter and in 8 Air conditioning 11	ımping gpm ımping gpm
	2 Irrigation 4 Industrial 7 Vas a chemical/bacteriological sample st	•	10 Observation well	
	nitted		ter Well Disinfected? Yes	
YPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glue	led Clamped
1 Steel 3 RMP (SR) 2 PVC 4 ABS	6 Asbestos-Cement 7 Fiberglass	9 Other (specify below		aded
	n. to			
_	2in., weight			
E OF SCREEN OR PERFORATION	•	7 PVC	10 Asbestos-ceme	
1 Steel 3 Stainless s		8 RMP (SR))
2 Brass 4 Galvanized	-	9 ABS	12 None used (or	
EEN OR PERFORATION OPENING			8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill		ed wrapped wrapped	9 Drilled holes	11 Note (open note)
2 Louvered shutter 4 Key	punched 7 Torch	cut 10	10 Other (specify)	
REEN-PERFORATED INTERVALS:	From		m ft. [.]	to
_	From ft. to		m ft. [.]	toft.
GRAVEL PACK INTERVALS:	From /. 5 ft. to		m ft. [.]	toft.
	From ft. to	ft., Fro		
GROUT MATERIAL: 1 Neat ce			Other	
	t. to ft., From			ft. toft.
at is the nearest source of possible co				Abandoned water well
1 Septic tank 4 Lateral	lines 7 Pit privy	11 Fuel	storage 15 C	Dil well/Gas well
2 Sewer lines 5 Cess p	pool 8 Sewage lago	on 12 Fertil	izer storage 16 C	Other (specify below)
3 Watertight sewer lines 6 Seepag	ge pit 9 Feedyard	13 Insec	cticide storage	
ection from well?		How ma	ny feet?	
OM TO	LITHOLOGIC LOG	FROM TO	LITHOLOG	SIC LOG
14 CLAV				
1 19 Fine Ser	d.			
7 25 Cosurer S	and			
5 26 ROCK				
C UN Shite				
6 48 Roch				
6 40 7001				
		+ +		
			- waren	
			1 L GB . 10/NJ	
CONTRACTOR'S OR LANDOWNER'	S CERTIFICATION: This water well wa	as (1) constructed, (2) reco	onstructed, or (3) plugged un	der my jurisdiction and wa
npleted on (mo/day/year) 🖊 🛩	<1.7/8.6	and this reco	ord is true to the best of my kr	
ter Well Contractor's License No.	. 45/ This Water W	ell Record was completed	on (mo/day/xr) . 2 /	
1/ 1/	mor will Drilling			a la
TRUCTIONS: Use typewriter or ball po			- July M	~
THURST USE TOTAL OF THE PARTY O	oint pen. PLEASE PRESS FIRMLY and	d <i>PRINT</i> clearly. Please fill i	in blanks, underline∕or circle th	ne correct answers. Send to