


1 LOCATION OF WATER WELL: County: <b>Riley</b>		Fraction <b>NE 1/4 NE 1/4 SW 1/4</b>	Section Number <b>28</b>	Township Number <b>T 10 S</b>	Range Number <b>R 8 EW</b>																																																																																				
Distance and direction from nearest town or city street address of well if located within city? <b>1E 2S of MANHATTAN</b>																																																																																									
2 WATER WELL OWNER: <b>Glen CARLTON</b> RR#, St. Address, Box #: <b>RR 3</b> City, State, ZIP Code: <b>MANHATTAN 66502</b> Board of Agriculture, Division of Water Resources Application Number:																																																																																									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL: <b>100</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>85</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <b>68</b> ft. below land surface measured on mo/day/yr <b>June 3-83</b> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <b>40</b> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>8</b> in. to <b>100</b> ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u>																																																																																							
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>✓</u> Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter <b>5</b> in. to <b>0-80</b> ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface <b>24</b> in., weight <b>2.82</b> lbs./ft. Wall thickness or gauge No. <b>258</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 <u>PVC</u> 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>80</b> ft. to <b>100</b> ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From <b>10</b> ft. to <b>100</b> ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																																									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other Grout Intervals: From <b>0</b> ft. to <b>10</b> ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 <u>Septic tank</u> 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <b>W</b> How many feet? <b>110</b>																																																																																									
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th></tr></thead><tbody><tr><td>0</td><td>3</td><td>TOP SOIL</td><td></td><td></td><td></td></tr><tr><td>3</td><td>14</td><td>Clay, brown</td><td></td><td></td><td></td></tr><tr><td>14</td><td>18</td><td>Shale grey</td><td></td><td></td><td></td></tr><tr><td>18</td><td>21</td><td>LS. brown</td><td></td><td></td><td></td></tr><tr><td>21</td><td>23</td><td>Shale grey</td><td></td><td></td><td></td></tr><tr><td>23</td><td>27</td><td>LS. brown</td><td></td><td></td><td></td></tr><tr><td>27</td><td>61</td><td>Shale, yellow</td><td></td><td></td><td></td></tr><tr><td>61</td><td>63</td><td>LS. brown</td><td></td><td></td><td></td></tr><tr><td>63</td><td>85</td><td>Shale, yellow</td><td></td><td></td><td></td></tr><tr><td>85</td><td>87</td><td>LS. brown-loose</td><td></td><td></td><td></td></tr><tr><td>87</td><td>91</td><td>Shale grey</td><td></td><td></td><td></td></tr><tr><td>91</td><td>95</td><td>LS grey</td><td></td><td></td><td></td></tr><tr><td>95</td><td>100</td><td>Shale grey</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	0	3	TOP SOIL				3	14	Clay, brown				14	18	Shale grey				18	21	LS. brown				21	23	Shale grey				23	27	LS. brown				27	61	Shale, yellow				61	63	LS. brown				63	85	Shale, yellow				85	87	LS. brown-loose				87	91	Shale grey				91	95	LS grey				95	100	Shale grey			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG																																																																																				
0	3	TOP SOIL																																																																																							
3	14	Clay, brown																																																																																							
14	18	Shale grey																																																																																							
18	21	LS. brown																																																																																							
21	23	Shale grey																																																																																							
23	27	LS. brown																																																																																							
27	61	Shale, yellow																																																																																							
61	63	LS. brown																																																																																							
63	85	Shale, yellow																																																																																							
85	87	LS. brown-loose																																																																																							
87	91	Shale grey																																																																																							
91	95	LS grey																																																																																							
95	100	Shale grey																																																																																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>6-3-83</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>182</b> This Water Well Record was completed on (mo/day/yr) <b>7-14-83</b> under the business name of <b>Strader Drilling Co. Inc.</b> by (signature) <u>Dale Ashen</u> INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.																																																																																									

OFFICE USE ONLY

T

10

R

8

EW

SEC.

28

NE 1/4

NE 1/4

SW 1/4