			WATE	R WELL I	BECORD	Form WW	C-5 KSA 9	2a-1212		mw-4	Ī
1 LOCATIO	ON OF WAT	ER WELL:	Fraction				Section Number		Number	Range_Number	
County:	Riley		NE 1/2	NE	1/4 N	W 1/4	19	T /O	S	R 8 (E)W	
Distance a	_		wn or city street a			ed within ci	Υ ງ ?.	11===			1
-		615 5.	1/1/1	Mai	nhatt	$a \cap$	Kansa	s 66502	<u> </u>		
2 WATER	WELL OW	NER: G	man 'C			halta	h At	IN: Vack	- Mess	er	
	Address, Box	(# :		intz.			, ,,,,	Board of	Agriculture, I	Division of Water Resource)S
City, State	ZIP Code	: M	anhaHar		5 66	502		Applicati	on Number:		
3 LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF C	OMPLETI	ED WELL	30.0) ft. ELEV	ATION: 1019.	46		.]
_ AN "X"	IN SECTION	N BOX:								l	
т Г	I X	1								10-13-94	
T I		1	I .							mping gpm	
-	- NW	NE								mping gpm	
	1	;	Bore Hole Diam							to	
\$ w	i	E	WELL WATER	_			vater supply	8 Air conditionii		Injection well	2
-	i	i '	1 Domestic		eedlot			9 Dewatering	-	Other (Specify below)	亅뷡
-	- SW	SE	2 Irrigation		ndustrial			~		4	
	1 1	1 1								, mo/day/yr sample was sut	၂ S
<u> </u>			mitted	υαυιοποιοί	giodi dampio			Vater Well Disinfed	-	•) m
5 TYPE C	NE BLANK C	ASING USED:	Timiou	5 Wroug	aht iron	8 Co	ncrete tile			d Clamped	Ιž
1 Ste		3 RMP (S	R)		stos-Cement		ner (specify bel			ed	~
	_		•	_ =						aded X	
Blank casir	o diameter	2	.in. to 19.2	5 ′ '''	Dia —					in. to ft.	1
Casing bei	aht ahove la	and surface		in weig	ht 5/					0	
_	-	R PERFORATIO		.iii., weig	in		PVC		sbestos-ceme		
				5 Fiberg	nlace		RMP (SR)				
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel					ete tile		ABS		12 None used (open hole)		-1
		RATION OPENIN		o conci				8 Saw cut	one asea (op	11 None (open hole)	
	ntinuous slo	_	fill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled hole	2	11 None (open note)	
	uvered shutt		ey punched		7 Toro	• •					
		ED INTERVALS:	16	1.25	ft. to .	29.	2 5 # 6	- , ,	• /	o 	- 1
_			From	-		-				o 	
	AND PAVEL PA	CK INTERVALS:								o	
		o	From	-	ft. to		ft. F		ft. t		
6 GROUT	MATERIAL	: 1 Neat		2 Cemen		(3)B	entonite	4 Other			1
Grout Inter	4	• •	4 1	_	- /	, —	100			ft. to ft.	1
		ource of possible	_	,	•	•				bandoned water well	ı
1 Septic tank 4 Lateral lines				7 Pit privy				11 Fuel storage		15 Oil well/Gas well	
	wer lines	5 Cess	s pool	8 Sewage lagoon			12 Fertilizer storage		@ c	Other (specify below)	Ū
3 Watertight sewer lines 6 Seepage pit					Feedyard	9		ecticide storage		iminated sike	. ≷
Direction f	•		g- F	_	,			nany feet?			
FROM	TO		LITHOLOGIC	LOG		FROM			PLUGGING I	NTERVALS] s
0	.5	Fill - 11	mestan	و] ři
.5	18.5	SIHV	Sand								
18.5	23.0	SIHV	clay								
23.0	30.0	SAND	7								
30.0	TD				and the second second						
					The second secon						
		FL	USH MOUN	TU	HUER.						
			10-26-	94			10.00				
		ΤDÜ	N TAY	DR	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.					A Victor of the Company of the Control of the Contr	72
			The second secon								4
						Ī					
					and the second of the second] "
											72
7 CONTE	RACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: This	water well	was (1) con	structed (2) re	constructed or (3) plugged und	der my jurisdiction and was	s
Completed	on (mo/dav	year)	10-94			was ci) con				owledge and belief. Kansas	
Water Wel			479		This Motor			d on (mo/day/yr)		4-94 A	Ĭ
TATEL ANGI			, , ,		IIIIS VVAIDI						4
under the		p-1				••en riecore		- A	63n /	lbeet	-
	business na	me of £1	BBERTSDI	RILLIN	<u> </u>		by (sig	nature)	670ml	copies to Kansas Department	-