

1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NE 1/4 Section Number 7 Township Number T 10 S Range Number R 9 EW
 County: Pottawatomie

Distance and direction from nearest town or city street address of well if located within city? From Manhattan 60 3 miles East of Manhattan on 24 Hwy on North side of Hwy

2 WATER WELL OWNER: David Papp
 RR#, St. Address, Box # : 11145 Vespil Circle Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : St George, KS 66535 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
		X	
W			E
S			

4 DEPTH OF COMPLETED WELL 93 ft. ELEVATION: ft.

Depth(s) Groundwater Encountered 1 6.5 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 62 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 5 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

<input checked="" type="checkbox"/> 1 Domestic	<input type="checkbox"/> 3 Feedlot	<input type="checkbox"/> 6 Oil field water supply	<input type="checkbox"/> 9 Dewatering	<input type="checkbox"/> 12 Other (Specify below)
<input type="checkbox"/> 2 Irrigation	<input type="checkbox"/> 4 Industrial	<input type="checkbox"/> 7 Domestic (lawn & garden)	<input type="checkbox"/> 10 Monitoring well	

5 Public water supply 8 Air conditioning 11 Injection well

Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

<input checked="" type="checkbox"/> 1 Steel	<input type="checkbox"/> 3 RMP (SR)	<input type="checkbox"/> 5 Wrought iron	<input type="checkbox"/> 8 Concrete tile	CASING JOINTS: <input checked="" type="checkbox"/> Glued <input type="checkbox"/> Clamped
<input checked="" type="checkbox"/> 2 PVC	<input type="checkbox"/> 4 ABS	<input type="checkbox"/> 6 Asbestos-Cement	<input type="checkbox"/> 9 Other (specify below)	<input checked="" type="checkbox"/> Welded
		<input type="checkbox"/> 7 Fiberglass		<input type="checkbox"/> Threaded

Blank casing diameter in. to 6.3 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 2' in., weight 5.140 lbs./ft. Wall thickness or guage No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

<input type="checkbox"/> 1 Steel	<input type="checkbox"/> 3 Stainless Steel	<input type="checkbox"/> 5 Fiberglass	<input checked="" type="checkbox"/> 7 PVC	<input type="checkbox"/> 10 Asbestos-Cement
<input type="checkbox"/> 2 Brass	<input type="checkbox"/> 4 Galvanized Steel	<input type="checkbox"/> 6 Concrete tile	<input type="checkbox"/> 8 RMP (SR)	<input type="checkbox"/> 11 Other (Specify)
			<input type="checkbox"/> 9 ABS	<input type="checkbox"/> 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

<input type="checkbox"/> 1 Continuous slot	<input checked="" type="checkbox"/> 3 Mill slot	<input type="checkbox"/> 5 Guazed wrapped	<input type="checkbox"/> 8 Saw cut	<input type="checkbox"/> 11 None (open hole)
<input type="checkbox"/> 2 Louvered shutter	<input type="checkbox"/> 4 Key punched	<input type="checkbox"/> 6 Wire wrapped	<input type="checkbox"/> 9 Drilled holes	
		<input type="checkbox"/> 7 Torch cut	<input type="checkbox"/> 10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From 63 ft. to 83 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 25 ft. to 83 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

<input type="checkbox"/> 1 Septic tank	<input checked="" type="checkbox"/> 4 Lateral lines	<input type="checkbox"/> 7 Pit privy	<input type="checkbox"/> 10 Livestock pens	<input type="checkbox"/> 14 Abandoned water well
<input type="checkbox"/> 2 Sewer lines	<input type="checkbox"/> 5 Cess pool	<input type="checkbox"/> 8 Sewage lagoon	<input type="checkbox"/> 11 Fuel storage	<input type="checkbox"/> 15 Oil well/Gas well
<input type="checkbox"/> 3 Watertight sewer lines	<input type="checkbox"/> 6 Seepage pit	<input type="checkbox"/> 9 Feedyard	<input type="checkbox"/> 12 Fertilizer storage	<input type="checkbox"/> 16 Other (specify below)
			<input type="checkbox"/> 13 Insecticide storage	

Direction from well? 160' North How many feet? 160'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil			
1	40	Sandy Clay			
40	60	Fine Sand			
60	65	Brown Clay			
65	93	Fine Sand (Water)			

RECEIVED
 AUG 17 2004
 BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/27/2004 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 451, This Water Well Record was completed on (mo/day/yr) 8/15/2004 under the business name of Haldeman Well Drilling by signature Craig A. Ched PT