

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.


1 LOCATION OF WATER WELL: County: Pottawatomie Fraction: NW 1/4 NE 1/4 SE 1/4 Section Number: 3 Township Number: T 10 S Range Number: R 9 E/W

Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39.20956 Longitude: 96.39177 Elevation: 1220 Datum: Data Collection Method: WLS 84 GPS

2 WATER WELL OWNER: DAN CHETWIND RR#, St. Address, Box #: 4614 Appleyard Rd City, State, ZIP Code: Wamego, KS 66547

Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39.20956 Longitude: 96.39177 Elevation: 1220 Datum: Data Collection Method: WLS 84 GPS

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 210 ft.

Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr. Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded X Threaded 2 PVC 4 ABS 7 Fiberglass

Blank casing diameter below 3/4 in. to 210 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 60 in., Weight lbs./ft. Wall thickness or gauge No. 50R17

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 5 ft. to 210 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 6 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well HOUSE 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well

Direction from well? East How many feet? 6

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-10 Glacial outwash, 10-11 Limestone, 11-32 SHALE, GRAY, 32-33 Limestone, 33-81 SHALE, 81-83 Limestone, 83-120 SHALE, GRAY, 120-150 Sandstone, 150-210 SHALE, GRAY. Plugging intervals: 1 hole to 210, 1 hole to 200, 1 hole to 170.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/2/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 700 This Water Well Record was completed on (mo/day/year) 6/10/2010 under the business name of Associated Drilling Inc by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.