WATER WELL RE	CORD	Form W	WC-5	Divisi	on of Water	Resources App. No).	
1 LOCATION OF WA County: WABAVA	TER WELL:	Fraction		Section 1	Number	Township No.	Range Number R 9 DE W	
Street/Rural Address of Well Location; if unknown, distance & direction					ositioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
2 MILES NORTHWEST OF WABAUNSEE				Longitude: (in decimal degrees)				
1400					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: HAROLD MERTZ				Collection Method: GPS unit (Make/Model:)				
RR#, Street Address, Box #: 32999 UWY 18 City, State, ZIP Code : 1.11005 CO. 1.17005				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	WAM	E60,465 665	02	Est. Accu	ıracy: 🗀 <	3 m, 3-5 m, 3	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WELL	/0/		ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. /./.5./12							
Pump test data: Well water was							ping gpm	
W NW NE EST. FIELD/200 gpin. Well water was							ft.	
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							njection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft., Diameter ft., Diameter ft., Diameter ft.								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel DYC Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 6.4. ft. to								
From. ft. to								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From C. ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							LD WELL	
Direction from well NORT4 Distance from well I OO								
FROM TO	LITHOLOG		FROM	TO I	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
	NAY TOPS	0/1						
16 36 SAN 36 51 YELL	LOW CLAY	1EQ. (YELLOW)						
51 56 SANG	(FINE-ME	1. (YELLOW)						
		PRSE/YELLOW)						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, rec								
under my jurisdiction and was completed on (mo/day/year) //5 // 2 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 5 / 8								
under the business name of BLUE VALUEY BRUING LINC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas Telephone 785-296-5524. Se	Department of Health and one copy to WA	and Environment, Bureau FER WELL OWNER and	of water, Geol	ogy Section, your records.	1000 SW Ja Include <u>fee</u>	ckson St., Suite 420, of \$5.00 for each	торека, Kansas 66612-136 constructed well. Visit us	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								