			WATER	R WELL RECORD	Form WWC	-5 KSA 82	2a-1212		
LOCAT		TER WELL:	Fraction			ection Number	er Township N		Range Number
County:		INDSom/c	511/4	NE 1/4 N	E 1/4	- 8	T /	10 (S)	R 9 EW
Distance a	and direction	from nearest town	or city street ad-	dress of well if locate	ed within city	Go 1	25 Milis	Wist	OF ST 610091
0 W	LSON G	WILL KAR	2 A				/ // /		
WATE	R WELL OV	VNER: DONALA	J. Fra	ucis.					
R#, St.	Address, Bo	x # : 3520	Wilson	N Circle			Board of A	Agriculture, D	Division of Water Resource
City, State	e, ZIP Code	: 57 60	come o . Ko	NSAS 66:	535		Applicatio	n Number:	
LOCAT AN "X"	E WELL'S L IN SECTIO	OCATION WITH 4 N BOX:	DEPTH OF CC	MPLETED WELL.	43	ft. ELEV	/ATION:		
	<u>-</u>		eptn(s) Groundw	ater Encountered	رحمه بعض الم	π.	. 2		
1	i	٧ ا را							
-	NW	1 NF							mping gpn
	!								mping gpn
· w L	<u> </u>				,				to
2	1	! W		D BE USED AS:		ter supply	•	-	•
-	. – SW – –	SE	1 Domestic	3 Feedlot		ater supply	_		Other (Specify below)
	1		2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	1 ,	
, <u>L</u>	1	l w	las a chemical/ba	acteriological sample	submitted to	Department?	YesNo	; If yes,	mo/day/yr sample was su
		5 mi	itted			W	later Well Disinfecte		No
TYPE (OF BLANK	CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JO	INTS Glued	Clamped
1_54	e cl	3 RMP (SR)		6 Asbestos-Cement	9 Othe	r (specify belo	ow)	Welde	ed
(2 P)	كسكا	4 ABS	3	7 Fiberglass				Threa	ded
3lank casi	ng diameter	4 ABS	. to	ft., Dia	in. t	0	ft., Dia	i	in. to ft
Casing he	ight above I	and surface	.2i	n., weight	40		s./ft. Wall thickness	or gauge No	D
		R PERFORATION N			7 P			pestos-cemer	
1 St	eel	3 Stainless st	teel	5 Fiberglass	8 B	MP (SR)	11 Oth	ner (specify)	
2 Br	ass	4 Galvanized		6. Concrete tile	9 A			ne used (ope	
3CREEN	OR PERFO	RATION OPENINGS			zed wrapped		8 Saw cut		11 None (open hole)
	ontinuous slo		slot //CC	co	wrapped		9 Drilled holes		() () ()
	uvered shut			7 Torch				w)	
		ED INTERVALS:	From2	3 # to	4.3	ft Er	om	ft to	5
	2 0		From	ft to		ft Fr	om	ft to	ft
(SRAVEL PA	CK INTERVALS:	From	7 7 # 10	43		om	ft to	o
`	a,	ON INTERIOR	From	ft. to		ft., Fr			
GROUT	Γ MATERIAL	_: 1 Neat cem		Cement grout	3 Bent				
Grout Inte							a a		. ft. to
		ource of possible cor		10., 110111			stock pens		pandoned water well
_	ptic tank		lines	7 Dit priva			-		I well/Gas well
	wer lines	5 Cess po		7 Pit privy			l storage		
		•		8 Sewage lag	joon		ilizer storage	16 00	her (specify below)
	-	ver lines 6 Seepage	e prt	9 Feedyard			ecticide storage	<i>J</i>	
Direction f FROM	TO TO	,	LITHOLOGIC LO	06	FROM	TO How m	ung 10011 /	UGGING IN	ITERVALS
111011	25	Samba	6-601	<u> </u>	PHOIVE	10		.oaanta iit	TETTVALO
2		Milian	04/1/1	Note	_				
1/1	4/3	131.	Sand						
41	41	DZU: 30							A Mindre of the second representation of the
			V-100-						
							Markette of the control of the contr		
				The state of the s					
		The state of the s							
					_				
CONTE	RACTOR'S	OR LANDOWNER'S,	CERTIFICATIO	N: This water well w	as (1) constru	ucted (2) rec	onstructed, or (3) p	lugged unde	er my jurisdiction and was
-	on (mo/day/		12/91	/					wledge and belief. Kansas
Vater Well	Contractor	s License No	4.5.1	This Water W				4/	12/92
	business na		781 112/1	1		by (signa		- 1 -	
			,					end top three cr	opies to Kansas Department
of Healt	h and Environm	ent, Bureau of Water, Top	oeka, Kansas 66620-0	0001. Telephone: 913-296-5	5545. Send one to	WATER WELL	DWNER and retain one for	or your records.	•