

County: Riley Fraction NW NW SW NE Sec. 19 T 10 S R 9 E/W

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Brandon Dibben

Location was listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location changed to:

19-10 S - 9 E

NW NW SW NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Latitude & Longitude, KGS' "LEO" conversion tool,
water rights information in WIMAS database, and KGS
mapping tool & aerial photos on KGS website; initials: BR date: 6/24/2013

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

3,017

1 LOCATION OF WATER WELL: County: <u>WABUNSEE</u>		Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	Section Number	Township Number T S	Range Number R E/W
Distance and direction from nearest town or city street address of well if located within city?			Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: <u>N39°10'13"</u> Longitude: <u>W96°27'15"</u> Elevation: _____ Datum: _____ Data Collection Method: <u>Google Earth</u>		
2 WATER WELL OWNER: RR#, St. Address, Box # : <u>Brandon Dikken</u> City, State, ZIP Code : <u>2106 Buffalo Ct</u> <u>Junction City KS 66441</u>					

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N <table border="1" style="width: 100px; margin: auto;"> <tr> <td style="width: 50px; height: 50px; text-align: center;">NW</td> <td style="width: 50px; height: 50px; text-align: center;">NE</td> </tr> <tr> <td style="width: 50px; height: 50px; text-align: center;">SW</td> <td style="width: 50px; height: 50px; text-align: center;">SE</td> </tr> </table> S	NW	NE	SW	SE	4 DEPTH OF COMPLETED WELL <u>5.3</u> ft. Depth(s) Groundwater Encountered (1)..... <u>1.2</u> ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL..... <u>1.2</u> ft. below land surface measured on mo/day/yr..... Pump test data: Well water was ft. after hours pumping gpm Est. Yield.....gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) ☒ Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No ☒; If yes, mo/day/yr Sample was submitted..... Water well disinfected? Yes ☒ No	
	NW	NE				
	SW	SE				

5 TYPE OF CASING USED:		5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued ☒ Clamped.....
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded.....
☒ PVC	4 ABS	7 Fiberglass		Threaded.....
Blank casing diameter <u>1.6</u> in. to <u>3.3</u> ft., Diameter in. to ft., Diameter in. to ft.				
Casing height above land surface..... <u>2.1</u> in., Weight lbs./ft.		Wall thickness or gauge No. <u>SDR 2.6</u>		
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel	3 Stainless Steel	5 Fiberglass	7 PVC	9 ABS
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RM (SR)	10 Asbestos-Cement
		11 Other (Specify) <u>PVC</u>		
		12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	7 Torch cut	9 Drilled holes
2 Louvered shutter	4 Key punched	6 Wire wrapped	☒ Saw cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From..... <u>3.3</u> ft. to <u>5.3</u> ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From..... <u>2.0</u> ft. to <u>5.3</u> ft., From ft. to ft.				

6 GROUT MATERIAL:		1 Neat cement	☒ Cement grout	3 Bentonite	4 Other
Grout Intervals: From..... <u>0</u> ft. to <u>2.0</u> ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	13 Insecticide storage	16 Other (specify below)
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/gas well	
Direction from well? <u>none</u>		How many feet?			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	sandy soil			
1		medium to coarse sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>Apr 19 13</u> and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. <u>821</u> This Water Well Record was completed on (mo/day/year) <u>Apr 9 13</u> under the business name of <u>Day Sisk Drilling Co.</u> by (signature) <u>Day Sisk</u> 816-517-4931	

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.

Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
Bldg 282, Forbes Field
P.O. Box 19323
Topeka, Kansas 66619-0323

Phone: (785) 862-6300
Fax: (785) 862-9110
www.ksda.gov/dwr

Dale A. Rodman, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietz, Water Commissioner

Sam Brownback, Governor

Wabunsee County

November 21, 2012

BRANDON & DIANNA DIBBEN
2106 BUFFALO CT
JUNCTION CITY KS 66441

Re: Water Right
File Nos. 3,017 & 27,122

Dear Brandon:

Enclosed are the orders executed by David W. Barfield, Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the terms, conditions and limitations specified in these approval for change. Also, the approval orders require the installation of a water flow meter on the point of diversion authorized under the above referenced file numbers by December 31, 2013. A copy of the Chief Engineer's specifications for the water flow meters are found in K.A.R. 5-1-4 through K.A.R. 5-1-12 and can be obtained from our website at the following address:

www.ksda.gov/appropriation/statutes/

A partial list of those meters found to be acceptable can be obtained from the following web address:

www.ksda.gov/includes/document_center/appropriation/DWR_forms/1_204_7.pdf

Since these orders modify the original certificates under File Nos. 3,017 & 27,122, they should be recorded with the Register of Deeds as other instruments affecting real estate.

These documents are a summary order by this agency regarding this matter. This order shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order.

If you have any questions, or if we may be of assistance, please feel free to contact this office.

Sincerely,

Brett L. Bunger

Brett L. Bunger
Assistant Water Commissioner

BLB
pc: Spring Run LTD
enclosures


CERTIFICATE OF SERVICE

On this 21th day of November, 2012, I hereby certify that the attached APPROVAL OF APPLICATION FOR CHANGE IN POINT OF DIVERSION, Water Right File No's. 3,017 and 27,122 dated November 21, 2012 was mailed postage prepaid, first class, US mail to the following:

BRANDON AND DIANNA DIBBEN
2106 BUFFALO CT
JUNCTION CITY, KS 66441

AND

SPRING RUN LTD
1622 CEDAR CREST DR
MANHATTAN KS 66503


Staff