		ATER WELL RECORD F	ong WWC-5			·
CATION OF WATE			Section	Number	Township Number	
nty: Piley Ince and direction f	rom nearest town or city stre	et address of well if located	within city?	30	T 10 (S) SOFZEANNA10	<u> R 9 (B</u> w
		· · · · · · · · · · · · · · · · · · ·				
ATER WELL OWN	WER: RALPH PARKS				Board of Agriculture	, Division of Water Resource
State, ZIP Code		66502			Application Number	•
CATE WELL'S LO	CATION WITH 4 DEPTH (3
// I Steel 2 PVC 3 casing diameter 1 steel 2 PVC 4 casing diameter 2 PSCREEN OR 1 Steel 2 Brass EEN OR PERFORA	WELL'S STATE Est. Yield Bore Hole D WELL WATI 1 Dome 2 Irrigat Was a chemmitted ASING USED: 3 RMP (SR) 4 ABS 5 in. to 0 A PERFORATION MATERIAL 3 Stainless steel 4 Galvanized steel ATION OPENINGS ARE:	ATIC WATER LEVEL Pump test data: Well water	was was Public water s Oil field water Lawn and gard ubmitted to Depa 8 Concrete 9 Other (sp 7 PVC 8 RMP 9 ABS d wrapped	w land surfaceft. afterft., and upply 8 supply 9 den only 10 rtment? Yes	hours plants in hours plants plants in hours plants plan	pumping gpm pumping gpm pumping gpm in. to ft 1 Injection well 2 Other (Specify below) es, mo/day/yr sample was suit No ited Langed in to ft No. 250 ment (y)
			• •			i i None (open noie)
1 Continuous slot			rapped	į		
2 Louvered shutte	er 4 Key punched	7 Torch	cut	10	Other (specify)	
2 Louvered shutte EEN-PERFORATE	D INTERVALS: From	75 ft. to	<i>15</i>	ft., From .	ft.	. to
EEN-PERFORATEI	D INTERVALS: From From From	75 ft. to .9	<i>15</i>	ft., From . ft., From . ft., From .	ft	. to
GRAVEL PAC	D INTERVALS: From K INTERVALS: From From The state of the stat	75 ft. to 9 ft. to 9 ft. to 10 ft. to 10 ft. to 2 Cement grout	3 Bentonite	ft., From ft., From ft., From 4 Ot	ft. ft. ft. ft. ft. ft. ft.	. to
GRAVEL PAC GROUT MATERIAL: Intervals: From	D INTERVALS: From From From	75 ft. to	3 Bentonite	ft., From ft., From ft., From 4 Ot	ft., ft., ft., ft., ft., ft., ft., ft.,	. to
GRAVEL PAC GRAVEL PAC ROUT MATERIAL: Intervals: From is the nearest sou	D INTERVALS: From From From	75 ft. to . 9	3 <u>Bentonite</u> ft. to.	ft., From ft., From ft., From 4 Ot	ft.	to
GRAVEL PACOUT MATERIAL: Intervals: From its the nearest sould Septic tank	D INTERVALS: From From From From	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy	3 <u>Bentonite</u> ft. to.	ft., Fromft., Fromft	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank 2 Sewer lines	D INTERVALS: From From From From From From	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago	3 <u>Bentonite</u> ft. to.	ft., Fromft., Fromft	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou I Septic tank 2 Sewer lines 3 Watertight sewe	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 Lurce of possible contaminatio 4 Lateral lines 5 Cess pool or lines 6 Seepage pit	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy	3 <u>Bentonite</u> ft. to.	ft., Fromft., From ft., From 4 Ot	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank Sewer lines Watertight sewe ion from well?	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 C ft. to urce of possible contaminatio 4 Lateral lines 5 Cess pool ar lines 6 Seepage pit	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 <u>Bentonite</u> ft. to.	ft., Fromft., From ft., From 4 Ot	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank Sewer lines Watertight sewer ion from well? M TO	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 C. ft. to Jurce of possible contaminatio 4 Lateral lines 5 Cess pool or lines 6 Seepage pit LITHOLO	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to ft. to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank Sewer lines Watertight sewe ion from well? M TO J J J J J J J J J J J J J J J J J J	D INTERVALS: From From From 1 Neat cement Ource of possible contamination 4 Lateral lines 5 Cess pool or lines 6 Seepage pit E LITHOLO	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to ft. to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank Sewer lines Watertight sewe ion from well? M TO M TO M 39 G 74	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 O ft. to Jurce of possible contaminatio 4 Lateral lines 5 Cess pool or lines 6 Seepage pit LITHOLO Top Soil Clay brown	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to ft. to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou Septic tank Septic tank Sewer lines Watertight sewe ion from well? M TO 39 39 37 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank ? Sewer lines 0 Watertight sewe on from well? M TO 0 4 1 39 8 74 4 77	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 O ft. to Jurce of possible contaminatio 4 Lateral lines 5 Cess pool or lines 6 Seepage pit LITHOLO Top Soil Clay brown	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank ? Sewer lines 0 Watertight sewe on from well? M TO 0 4 1 39 8 74 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank Sewer lines Watertight sewe on from well? M TO D J J J J J J J J J J J J J J J J J J	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., Fromft., Fromft	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank ? Sewer lines 0 Watertight sewe on from well? M TO 0 4 1 39 8 74 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank ? Sewer lines 0 Watertight sewe on from well? M TO 0 4 1 39 8 74 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From s the nearest sou Septic tank ? Sewer lines 0 Watertight sewe on from well? M TO 0 4 1 39 8 74 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou I Septic tank 2 Sewer lines 3 Watertight sewe ion from well? M TO D 4 1 39 3 74 4 77	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to ft. to
GRAVEL PACE OF THE	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to fto fto fto fto fto fto fto fto fto f
GRAVEL PACE OF THE	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to ft. to
GRAVEL PAC GRAVEL PAC ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well? DM TO 0 4 4 39 39 39 39 39	DINTERVALS: From From From I Neat cement I N	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout C ft., From 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentoniteft. to.	ft., From ft., From ft., From 10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to ft. to
GRAVEL PAC ROUT MATERIAL: Intervals: From is the nearest sout 1 Septic tank 2 Sewer lines 3 Watertight sewetion from well? DM TO 0 4 4 39 38 74 74 77 77 77 100	D INTERVALS: From From K INTERVALS: From From 1 Neat cement 1 Oft. to Jurce of possible contaminatio 4 Lateral lines 5 Cess pool or lines 6 Seepage pit E LITHOLO Tap Sail Clay brawn	75 ft. to ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentonite ft. to.	10 Livestoc 11 Fuel sto 12 Fertilize 13 Insectici How many	ft.	to
GRAVEL PAC GRAVEL PAC ROUT MATERIAL: Intervals: From is the nearest sound is the nearest sound is septic tank in the part of	D INTERVALS: From From From RK INTERVALS: From 1 Neat cement 1 Neat ceme	75 ft. to ft.	3 Bentonite The second of the	tt., From tt., F	tructed, or (3) plugged u	to
GRAVEL PAC OUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ion from well? M TO 0 4 1 39 2 74 1 77 7 100	D INTERVALS: From From From RK INTERVALS: From 1 Neat cement 1 On the to 1 Ource of possible contamination 4 Lateral lines 5 Cess pool or lines 6 Seepage pit E LITHOLO TER SOLL CLAY brown CLAY brown Shale, 4 Per S	ft. to ft. to ft. to ft. to ft. to Cement grout C 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentonite ft. to. TROM FROM Is (1) constructe an	this record	tructed, or (3) plugged usis true to the best of my leads to the best of my le	to
GRAVEL PACE OF THE	D INTERVALS: From From Recommendation of the to From 1 Neat cement 1 Nea	ft. to ft. to ft. to ft. to ft. to Cement grout C 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentonite ft. to. TROM FROM Is (1) constructe an	this record	tructed, or (3) plugged usis true to the best of my l	to