

1] LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Dickinson</u>	<u>SE 1/4 SE 1/4 NE 1/4</u>	<u>13</u>	<u>T 11 S</u>	<u>R 1</u> BW

Distance and direction from nearest town or city street address of well if located within city?
4 3/4 miles North of Talmage, Ks on Fair Rd. at 3463 Fair Rd.

2] WATER WELL OWNER: Jesse Vincent
 RR#, St. Address, Box #: 2928 Gulf Rd. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Abilene, Kansas 67410 Application Number:

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4] DEPTH OF COMPLETED WELL: <u>7.3</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered: 1. <u>6.2</u> ft. 2. _____ ft. 3. _____ ft.
	WELL'S STATIC WATER LEVEL: <u>4.0</u> ft. below land surface measured on mo/day/yr <u>8 / 16 / 00</u>
	Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
	Est. Yield: <u>10+</u> gpm. Well water was _____ ft. after _____ hours pumping _____ gpm
	Bore Hole Diameter: <u>9</u> in. to <u>7.3</u> ft., and _____ in. to _____ ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>*</u> _____; If yes, mo/day/yr sample was submitted _____
	Water Well Disinfected? Yes <u>*</u> _____ No _____

5] TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. <u>*</u> _____ Clamped. _____
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded _____
		7 Fiberglass		Threaded _____

Blank casing diameter: 5 in. to 7.3 ft., Dia. _____ in. to _____ ft., Dia. _____ in. to _____ ft.
 Casing height above land surface: 1.8 in., weight: 1.60 lbs./ft. Wall thickness or gauge No. 2.14

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify) _____
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify) _____	

SCREEN-PERFORATED INTERVALS: From 4.7 ft. to 7.3 ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.

GRAVEL PACK INTERVALS: From 2.4 ft. to 7.3 ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.

6] GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____

Grout Intervals: From 4 ft. to 2.4 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? SOUTHEAST APPROX How many feet? 200+

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	DARK TOP SOIL			
2	12	BROWN CLAY			
12	16	LITE TAN CLAY			
16	31	SOFT GRAY CLAY			
31	37	LITE COLOR CLAY & SHALE			
37	40	WHITE SHALE			
40	42	DARK SHALE & CLAY			
42	45	GRAY SHALE & CLAY			
45	48	TAN CLAY & SOFT ROCK			
48	52	BROWN & TAN CLAY & SOFT SHALE			
52	58	LITE COLOR CLAY & SHALE			
58	61	DARK GRAY SHALE HARD			
61	65	SOFT GRAY SHALE			
65	73	GRAY SHALE & GYPSUM ROCK MIXED			

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8 / 16 / 00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 397. This Water Well Record was completed on (mo/day/yr) 8 / 23 / 00 under the business name of CENTRAL KANSAS DRILLING by (signature) Harold D. Martin