

VVAIER VVELL K		ge in Well Use			sion of Water		Well ID		
					irces App. No			NT1	
1 LOCATION OF WA	AIER WELL:	Fraction 1/4 1/4	1/4 1/4	Secti	ion Number	Township Numbe T S		Number □ E □ W	
2 WELL OWNER: La	First:		r Rura	1 Address w					
Business:	ist ivallie.		Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
Address:									
Address:									
City:	State:	ZIP:			_				
3 LOCATE WELL	/				ft. 5 Latitude:(decimal degrees)				
WITH "X" IN	Depth(s) Groundwater Encountered: 1)				Longitude:				
SECTION BOX:	1 2) ft. 3) ft., or 4)								
1	WELL'S STATIC WA		ft. Source for Latitude/Longitude:						
	below land surface, measured on (mo-day-yr				Grade managemodes				
NW NE	above land surface,		• • • • • • • • • • • • • • • • • • • •	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	Pump test data: Well wafterhours			☐ Land Survey ☐ Topographic Map					
W E	Well w			☐ Online Mapper:					
SW   SE		s pumping							
	Estimated Yield:				6 Elevation:ft. Ground Level TOC				
S		in. to ft. and			Source: Land Survey GPS Topographic Map				
mile			☐ Other						
7 WELL WATER TO BE USED AS:									
1. Domestic:		iter Supply: well II				Field Water Supply: lea			
Household	6. Dewaterin								
☐ Lawn & Garden ☐ Livestock	en 7. Aquifer Recharge: well ID								
2. Irrigation	9. Environmenta								
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Ext				b) Open Loop  Surface Discharge Inj. of Water				
4. Industrial	☐ Recovery					er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED:  Steel PVC Other									
Casing diameter									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank	Lateral Line				Livestock Pen				
□ Sewer Lines     □ Cess Pool     □ Sewage Lagoon     □ Fuel Storage     □ Abandoned Water Well       □ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well									
☐ Watertight Sewer Lin	es	☐ Feedya	ıra	ПЬ	ertilizer Stor	age 🔲 On wen	/Gas well		
Direction from well?						ft.			
10 FROM TO	LITHOLOG		FRO			LITHO. LOG (cont.) or l	PLUGGING I	INTERVALS	
			37 /						
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No									
under the business name	of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html