11,000

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Change elev.

WATER WELL RECORD
KSA 820-1201-1215

vechock

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CCA

County Fraction				Section number		Tawnship number	Range numbe	or	
1. Location of well:	County	NE 5W 5W 3W 1/4 Six 1/4 Six 1/4		- 3		1	-		
	WALDUNSCE					<u> </u>	R	<u>'O</u>	(E)W
2. Distance and dire	ction from nearest town or city:	AN MORTON	/						
Street address of well	l location if in city:	たてン			1				
567 444.65 6. 116.1	OF WA	VAMEQU, Ks.							
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 3 in. Completion date			
N									
						7 Cable toolKotary Driven Dug			
NW NE Septic						Hollow rad Jetted Bored Reverse rotary			
House						8. Use:Domestic Public supply Industry			
						Irrigation Air conditioning Stock Lawn Oil field water Other			
SW SE wa'						9. Casing: Material JUC Height: Aboys or below			
X - 1501 DEDINAGE						Threaded Welded Surface 2 in.			
5						RMPPVC QL Weight 2.58 lbs. ft.			
1 1 Mile						Dia. 5 in. to 20th, depth Wall Thickness: inches or			
5. Type and color of	material			▶ From	То	Dia in. to ft. dep		,2/	7 1
		.				10. Screen: Manufacturer's r			
TOP SOIL					3		_ Dia	5	
						Glo/gauze 1020	_ Length	20	
Clay, BRown				3	21	Set between	0:10	30	ft.
Shaley Lime STONE				21	15	Gravel pack?Size ra		1030	X1060
						11. Static water level:			/day/yr.
Shale, GRoy				95	65	70 ft. below land sur	face Date		
Lime yellow -loose				65	75	12. Pumping level below land			
				75	مارا	ft. after			
	3 NAIP, 9RE	y Limestone 9Ri	- 4	13	110	Estimated maximum yield			g.p.m.
] [13. Water sample submitted:		mo.,	/day/yr.
							Date D		
						17. Well need completion:	CAP		
							2≠ Inches	apove 8	grade
						15. Well grouted? With:Neat cement	Rentonita	_	onerata
						Depth: FromO ft. to _/O ft.			
						16. Nearest source of possible	e contamination	n:	
						16. Nearest source of possible ft. 45°C Direction	<u>v</u> туре	<u>. 20</u>	27.0
						Well disinfected upon comple			<u>-</u> №
						17. Pump:	Not inst	talled	-
						Manufacturer's name Model number	HP	Volt	<u>, </u>
						Length of drop pipe			
						Туре:			
				ļ	 	Submersible	_	Turbine	
	(Use a second s	neet if needed)				Jet Centrifugal		Recipro Other	caring S 1 C
18. Elevation: 19. Remarks:						20. Water well contractor's o	 _		^ ° [
						This well was drilled under my jurisdiction and this report			
775 Albert						is true to the best of my knowledge and belief.			
Topography: OWNER TOINSTAL SLAD						STARRER DRIG CO. Inc /87			
Hill Slope						Business name HolTon SLicense No.			
Upland						10000	Eskren	Deta /	12-1-10
Valley						Signed Authorized rep	resentative	- vate 4	3 \$[