			WELL RECORD	Form WWC-5				
LOCATION OF W		Fraction	NIVy A	/W _{1/4} Sec	tion Number			Range Number
County: Who be	in from nearest to	WN or city street ad	dress of wall if locate	d within city?	51	T //	(s)	R // E/W
Jistance and direction	ii iioiii nearest to	will of City Street act	uress or well it locate	a within city:	215	MOTHET S,	mi	~ McForload
WATER WELL O	WNED Tand	51 160						
RR#. St. Address. E	ox # : 715	Market S	T.			Board of A	griculture,	Division of Water Resource
				<i>!</i>		Application	Number:	
LOCATE WELL'S	LOCATION WITH	14 DEPTH OF CO	MPLETED WELL. 1/1/	155.b	ft. ELEV	ATION:		ft.
AN "X" IN SECTION	ON BOX:	Depth(s) Groundw	ater Encountered 1	WAS. 15	~ · ft.	2	ft. 3	i
i y!	1	WELL'S STATIC \	WATER LEVEL MAS	/5 ft. b	elow land su	ırface measured on	mo/day/yr	
1 2 NW -	NF -	Was Pump	test data: Well wate	erwas	ft. a	after	hours pu	mping gpm
		Est. Yield 30.	. gpm: Well water	erwas	ft. :	after	hours pu	mping gpm
<u>*</u> w	F							. to
≨ "		WELL WATER TO	`	5 Public water		_		Injection well
sw _	- SE (Mas 1 Domestic						Other (Specify below)
1	! `	2 Irrigation						maldaylyr aampla was sub
<u> </u>	اللبالية		acteriological sample :	submiπed to D		res ater Well Disinfecte	- 1	, mo/day/yr sample was sub No
TYPE OF BLANK	CASING USED:	mitted Pack	5 Wrought iron	8 Concre				d Clamped
1 Steel	3 RMP (S	Was ROCK	6 Asbestos-Cement		(specify belo			ed
2 PVC	4 ABS	•	7 Fiberglass		• •			aded
Blank casing diamete	er		•	in. to		ft., Dia		in. to ft.
Casing height above			n., weight		Ibs	./ft. Wall thickness of	or gauge N	o
TYPE OF SCREEN	OR PERFORATIO	ON MATERIAL:		7 PV	С	10 Asb	estos-ceme	ent
1 Steel	3 Stainles	ss steel	5 Fiberglass		IP (SR)	11 Oth	er (specify)	
2 Brass	4 Galvani		6 Concrete tile	9 AB	S		e used (op	·
SCREEN OR PERF				ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous s		Mill slot		wrapped		9 Drilled holes		
2 Louvered shi SCREEN-PERFORA		Key punched	7 Torch		4		•	o
SUNCEN-PENFUNA	TED INTERVALS.				•			o
GRAVEL P	ACK INTERVALS							o
_		From	ft. to		ft., Fro			o ft.
GROUT MATERIA			Cement grout					
Grout Intervals: Fi	om 💋	.ft. to 5	ft., From	1.4 ft.	to/. 5	ft., From	. 	ft. to
What is the nearest	source of possible	contamination:				stock pens		bandoned water well
•		eral lines	7 Pit privy			storage	_	
2 Sewer lines 5 Cess p		·	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
	wer lines 6 See	page pit	9 Feedyard			cticide storage		
Direction from well? FROM TO		LITHOLOGIC L	OG	FROM	TO TO	any feet? PL	UGGING I	NTERVALS
8 5	BINTON	T80	4.6.7	_				
5 15	Flower	L. F.11 =	Sound flow CONTINI					
14 1.5	Binton,	Tr	Sound + Concerts Sound + Concert From ASh	7		. <u>.</u>		
15 38	Flourt	of Fill=	South Conce	<u> </u>				
	<u> </u>		V 500 70 1					
			— F	<i>X</i>				
			1A Q V					
	<u> </u>		1 1/1/1/2					
							···	
			1					
CONTRACTOR'S	OR LANDOWNE	R'S CERTIE¥ΩATIO	N: This water well w	as (1) constru	cted. (2) rec	onstructed for (3) p	lugged un	der my jurisdiction and was
completed on (mo/da				as (i) constru	and this rec	ord is true to the be	st of my kn	owledge and belief. Kansas
Water Well Contracto		451				on (mo/day/yr)	7/2	7/95
under the business r		dimer wi			by (signa		in the	TUNAT
INSTRUCTIONS: Use				,			177	
	typewriter or ball point	t pen. <u>PLEASE PRESS</u> FIR	MLY and PRINT clearly. Bit	ease fill in blanks,	underline or circ	le the correct answers. Se	end top three	copies to Kansas Department
of Health and Environ	typewriter or ball point nment, Bureau of Water	t pen. <i>PLEASE PRESS FIR</i> r, Topeka, Kansas 66620-	MLY and PRINT clearly. Per 0001. Telephone: 913-296-5	ease fill in blanks, 5545. Send one to	underline or circ WATER WELL (le the correct answers. So OWNER and retain one fo	end top three r your records	copies to Kansas Department