WATER WELL R			WWC-5	D	ivision of Water			MW-4		
Original Record			e in Well Use		sources App. No		Well ID			
1 LOCATION OF W.		L:	Fraction	- 1	ection Number	· ·	I	ige Number		
County: Wabansee			NE 1/4 SW 1/4 SW 1/4				1 B E DW			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance direction from nearest town or intersection): If at owner's address, check he										
Business: Wyldewoo Address: 32633 Gra		Ч	'	direction from	n nearest town or a	ntersection): II at owne	r's address,	cneck nere:		
Address: 32633 Grapevine Road Address:										
City: Paxico		State: KS	ZIP: 66526							
3 LOCATE WELL	4 DEDTH	OF COM	DIETEN WELL.	20	A 5 Latitus	39 0667	' 5	/di1 d		
WITH "X" IN	4 DEPTH OF COMPLETED WELL: 20 ft. Depth(s) Groundwater Encountered: 1) ft. Latitude: 39.06675 (decimal degrees) Longitude: -96.18602 (decimal degrees)									
SECTION BOX:	1 DOTS 2)									
1\	WELL'S STATIC WATER LEVEL: 10.65 ft. Source for Latitude/Longitude:									
	below land surface, measured on (mo-day-yr) GPS (unit make/model:									
NW NE			measured on (mo-day-y		(WAAS enabled?		10)			
X			rater was ft. s pumping		id Survey 🔲 Topogr					
W E	aner		vater was ft		L On	line Mapper:				
SW SE	after		s pumping			000 45				
	Estimated Y	ield:	gpm		6 Elevati	6 Elevation: 998.45ft. Ground Level TOC				
S	Bore Hole D		8.75 _{in. to} 20		Source:	■ Land Survey □	_			
1 mile			in. to	. <u>. f</u> t		☐ Other	· · · · · · · · · · · · · · · · · · ·			
7 WELL WATER TO										
1. Domestic:			ter Supply: well ID			Field Water Supply: 1				
☐ Household☐ Lawn & Garden	0. ∐ 7. □	Aquifer D	g: how many wells? echarge: well ID		. 11. 1est H	ole: well IDed				
Livestock	-	Monitorin:	g: well ID MW	<i>I-</i> 4	. 12. Geothe	rmal: how many bore				
2. Irrigation			al Remediation: well ID			sed Loop				
3. ☐ Feedlot			e ☐ Soil Vapor E	xtraction	b) Open Loop					
4. 🔲 Industrial		Recovery	☐ Injection		13. 🔲 Oth	er (specify):				
Was a chemical/bacter			itted to KDHE? 🔲 🛚	res 🔳 No	If yes, date	sample was submitte	:d:	,		
Water well disinfected?	☐ Yes 🔳	No								
8 TYPE OF CASING	USED: □ St	teel 🔳 PV	C 🗌 Other	CAS	ING JOINTS:	☐ Glued ☐ Clampe	d 🔲 Welde	d 🔳 Threaded		
Casing diameter2	in. to . !.Q	ft.,	Diameter	in. to	ft., Diame	ter in. to	ft.			
Casing height above land s	urface	.yin	. Weight	lbs./ft	. Wall thickn	ess or gauge No. SCh	.40			
TYPE OF SCREEN OR ☐ Steel ☐ Stain						- (C:f-)				
	less Steel anized Steel	☐ Fiber ☐ Conc		ed (onen ho		r (Specify)				
SCREEN OR PERFORA				ed (open ne	лсу					
1	Mill Slot			ch Cut 🗍	Drilled Holes	Other (Specify)				
	Key Punch	ied 🔲 W	ire Wrapped 🔲 Sav	v Cut 🔲	None (Open Ho	le)				
SCREEN-PERFORATE			10 ft. to 7.9	ft., From	fl. to	ft., From	ft. to	ft.		
GRAVEL PACK INTERVALS: From 8 ft. to 20. ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other cement pad										
Grout Intervals: From	! ft. to	. &	ft., From0 f	t. to1	ft., From	ft. to	ft.			
Nearest source of possible		o n : .ateral Line	. Dia pois-	_	Trick with	· ·	11 04			
☐ Septic Tank☐ Sewer Lines	_	.aierai Line Cess Pool	s ☐ Pit Privy ☐ Sewage Lag		☐ Livestock Pens ☐ Fuel Storage		cide Storage oned Water			
☐ Watertight Sewer Lin		Seepage Pit			Fertilizer Stora		ell/Gas Well			
Other (Specify) .Cor							in Cus Weil			
Direction from well?			Distance from we	11?						
10 FROM TO		ITHOLOG	GIC LOG	FROM	TO I	.ITHO. LOG (cont.) or	r PLUGGIN	G INTERVALS		
	sphalt									
	ilty Clay, br			ļ						
			, moist, firm							
14 20 S	ility Clay, da	rk brown	, moist, plastic							
				ļ						
		·		NT 4						
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) .7-9-2021										
Kansas Water Well Con	tractor's Lice	ense No.	504 This Wat	ter Well R	ecord was com	pleted on (mo-day-y	ear) 9/.7	/2/		
under the business name	of Envoror	nmental E	riority Service, Inc.		Signature	My Myt				
Mail 1 white copy alor	ng with a fee of S	\$5.00 for <u>eac</u>	h constructed well to: Kans	sas Departme	nt of Health and E	nvironment, Bureau of W	ater, GWTS S	Section.		
			66612-1367. Mail one to V			e tor your records. Telepl				
Visit us at http://www.kdheks.	gov waterwell u	noex.html		KSA 82a-1	1414		Keviseo	7/10/2015		

WildBlue Webmail

epsinc@wildblue.net

Paxico Well Forms

From: Jamie Murphy <jmurphy@ppbenv.com>

Wed, Aug 04, 2021 01:15 PM

Subject: Paxico Well Forms

5 attachments

To: epsinc@wildblue.net

Chris,

Attached is the info you will need for the well forms for the Paxico job. The current property owner is Wyldewood Cellars, address is PO Box 45 Mulvane, KS 67110.

Well ID	Static Water Level
MW-1	10.85
MW-2	10.05
MW-3	10.32
MW-4	10.65
MW-5	10.48
MW-6	10.05
MW-7	9.78
MW-8	9.44
MW-9	8.65

Please let me know if you need any additional information or have any guestions.

Thanks,



Jamie Murphy, P.G. Project Geologist

- **o:** 785.640.9793
- a: 112 SW 6th Avenue, Suite 201 Topeka, Kansas 66603
- w: ppbenv.com
- e: jmurphy@ppbenv.com
- Survey.pdf 395 KB
- Wyldewood Boring Logs Wells Only.pdf

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jamie Murphy 112 SW 6th Street, Suite 201 Topeka, Kansas, 66603

July 29, 2021

RE: Monitor Well Elevation Survey 32633 Grapevine Rd., Paxico, Kansas

Proj. 21-00V Wyldewood Cellars Winery U4-099-15179

Bench Mark: Chisled Square on SW corner of concrete sidewalk at SW corner of building.

Elev: 999.65 North 3058.98 West 5201.26 (from SE Cor. Sec.27-11-11E)

P.					
1 MW-1	rim	999.25	North	3066.55	NW1/4,SW1/4,SW1/4,NW1/4
•	top pipe	998.84	West	4944.07	Lat= 39.06667 Long = 96.18627
	P P				
MW-2	rim	998.58	North	2972.26	SW1/4,SW1/4,SW1/4,NW1/4
,	top pipe	998.12	West	4962.26	Lat= 39.06641 Long = 96.18633
					į
_/MW-3	rim	998.82	North	2986.38	SW1/4,SW1/4,SW1/4,NW1/4
V	top pipe	998.43	West	5032.12	Lat= 39.06645 Long = 96.18657
_					
√MW-4	rim	998.99	North	3094.36	NE1/4,SW1/4,SW1/4,NW1/4
	top pipe	998.45	West	4872.92	Lat= 39.06675 Long = 96.18602
WW-5	rim	998.99	North	3037.33	NW1/4,SW1/4,SW1/4,NW1/4
	top pipe	998.57	West	5041.53	Lat= 39.06659 Long = 96.18661
VMW-6					
✓ MW-6	rim	998.58	North	3020.51	NE1/4,SW1/4,SW1/4,NW1/4
,	top pipe	998.13	West	4886.64	Lat= 39.06655 Long = 96.18606
MW-7	•	000.10	37 .1	2050 45	CD1 /4 CW14 /4 CW14 /4 CW14 /4
✓ MW-/	rim .	998.18	North	2858.47	SE1/4,SW1/4,SW1/4,NW1/4
_	top pipe	997.63	West	4851.65	Lat= 39.06610 Long = 96.18593
MW-8	rim	007.04	XY	2005 11	OXXII /A OXXII /A OXXII /A XXXII /A
V 1V1 W −0		997.94	North	2905.11	SW1/4,SW1/4,SW1/4,NW1/4
	top pipe	997.35	West	4966.30	Lat= 39.06623 Long = 96.18634
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	rim	997.38	North	3200.49	NW/1 /4 CW/1 /4 CW/1 /4 NW/1 /4
AIAT AA -3		997.38 996.81	West	5200.49 5108.40	NW1/4,SW1/4,SW1/4,NW1/4 Lat= 39.06704 Long = 96.18685
	top pipe	220.01	W CSI	J100.40	Lat- 33.00/04 Long - 30.18083

Lat & Long derived from McFarland 7.5' quad map. WGS84

Elevation established from NGS BM L344. NAVD 88

If you have any anastions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke KLS

