

1 LOCATION OF WATER WELL
 County: LABANSE Fraction: NE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section Number: 26 Township Number: T 11 S Range Number: R 11 E

Distance and direction from nearest town or city? 5 MILE EAST PAXICO
 Street address of well if located within city?

2 WATER WELL OWNER: CITY OF PAXICO
 RR#, St. Address, Box #: 66526
 City, State, ZIP Code: PAXICO, KS.
 Board of Agriculture, Division of Water Resources Application Number:


3 DEPTH OF COMPLETED WELL: 40 ft. Bore Hole Diameter: 12" in. to 2.7 ft., and 6" in. to 40 ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 20' 6" ft. below land surface, measured on 12-4-79 month day year
 Pump Test Data: Well water was 36' 6" ft. after 4 hours pumping 15 gpm
 Est. Yield 30 gpm: Well water was 40 ft. after 4 hours pumping 30 gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 19LB 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC SC 40 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia: 6" in. to 24' 10" ft., Dia: 5" PVC SC 40 in. to 40' ft., Dia: in. to ft.
 Casing height above land surface: 30' PITRESS UNIT, weight 19 lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC SC 40 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut X 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes X
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 3/16" in. to ft., Dia: in. to ft., Dia: in. to ft.
 Screen-Perforated Intervals: From 35' ft. to 40' ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 27' ft. to 40' ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 27' ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 Direction from well: West How many feet: 1/4 mile? Water Well Disinfected? Yes X No
 Was a chemical/bacteriological sample submitted to Department? Yes X No If yes, date sample was submitted month day year Pump Installed? Yes No
 If Yes: Pump Manufacturer's name: Jacuzzi Model No. 154H HP 1 Volts 130
 Depth of Pump Intake: 37' ft. Pumps Capacity rated at: 15 GPM gal./min.
 Type of pump: 1 Submersible X 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on DEC. month 4 day 1979 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 119A
 This Water Well Record was completed on Oct 25 month 25 day 1980 year under the business name Jungmann by (signature)

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	27	CLAY YELLOW			
27	33	SORT CLAY SOME GRAVEL			
33	37	DIMTY GRAVEL			
37	40	CLEAR GRAVEL			

ELEVATION: 991.2m

Depth(s) Groundwater Encountered 1. 20' 6" ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
SEC.
NE 1/4
NE 1/4
NW 1/4