WATER WELL RECORD		Form WWC-5		Division of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL:		Fraction	_	Section Number	Township No.	Range Number	
		1/4 SW 1/4 S/		36	T // S	R 73 X E □W	
	dress of Well Location; i			Global Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here			k here .	Latitude: 39.04548 (in decimal degrees) Longitude: 95.92238 (in decimal degrees)			
			Elevation:				
				Datum: WGS 8	4, □ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: Key Express RR#, Street Address, Box #: 408 M. New Gr., Suite A				Collection Method			
City, State, ZIP Code : Washing W. June 17				GPS unit (Make/Model: Garmin Etyes)			
City, State, ZIP Code : Warnego, KS 66547-1209				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, 🕱 3-5 m, ☐ 5-15 m, ☐ >15 m			
1 LOCATE WELL							
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 180						
SECTION BOX:	(2) (1) (2) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1						
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
' '	ECT VIELD - www. Well weten week						
W - NW - NE - EST. TIELD gpm. well water was it. after nours pumping. — nours pumping in. to						ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection wel							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below							
· ·	was a chemical cacteriological sample sachined to Department.						
S If yes, mo/day/yr sample was submitted							
water win distinction. I is a re-							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin. to 160 ft., Diameter in. to ft., Diameter in. to ft. Casing height for a land surface ft., Weight libs./ft., Wall thickness or gauge No. 508.11							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft.							
From ft. to ft., From ft. to						to ft.	
GRAVEL	PACK INTERVALS:	From	ft. to	ft., From .:	ft. 1	to ft.	
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 4ft. to 180ft., Fromft. toft., Fromft.							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel sto							
					s well	ひろた	
			, , , , , , , , , , , , , , , , , , , ,	from well B		CODIC DITEDUAL C	
FROM TO	LITHOLOG	IC LUG	FROM	TO LITHO. LO	JG (cont.) or PLU	GGING INTERVALS	
	Soll Trace stants		+				
	-FARSTONE SHOLE, WEATH	IBAKA	+		3 to 180		
10 50 5	THALF GRAY	1414/			2 10 100		
	IMESTONE						
55 75 S	SHALKE						
75 80 4	IMESPONE						
80 140 5	HALR						
	TMASOUNE						
	HALE		1 900	lamel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of ASSOCIATION DEPLICATION by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							
							