		WA	TER WELL REC	ORD Form WWC-5	KSA 82a-1	212 ID	No			
1 LOCAT	ION OF WA	TER WELL:	Fraction		Sec	tion Number	Township Nu	mber Ra	ange Number	
County: 5	HAWNE	R	NB 14	NR 14 5R 1	4 <i> </i>		T //	S R	14 © W	
				ddress of well if located	within city?				•	
FROM	STINE	LAVE:	PARIES A	EAST ON HWY 2	4 AND	7 MEL	CS ANDTHON	1 William L	n.	
2 WATER	WELL OW	VER: IUAN	IN VECKE	THOMPSON	-/ 17100					
			NW PERL	<i>,</i> -			Doord of Ac-	daultura Divisian st	Mater Descures	
City State	aress, Box	# : 7020	or some for	1111				riculture, Division of		
City, State,	ZIF Code		CKAJKZ,	666/B OMPLETED WELL/	0//	4 CLC)	Application	Nullibel.		
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	OMPLETED WELL	<i>0</i> v	π. ΕLΕν	ATION:			
AN "X" IN	SECTION	BOX:	Depth(s) Groun	dwater Encountered	ا		ft. 2	ft. 3	ft.	
	1	1		WATER LEVEL3.Z						
	1	1	Est Viold	np test data: Well water gpm: Well water	was		after	hours pumping	gpiiigpiii	
	-NW -	- NE			Public water s		8 Air conditioning			
	1		Demestic		Dil field water		9 Dewatering	•		
w	!	E	2 Irrigation				10 Monitoring well			
	<u> </u>									
	-sw -	- SE	Mas a shamisa	l/bacteriological sample s	uhmittad ta F)anadmant?	IVan Et	: If was malday/ur	o comple was sub	
	344		mitted	i/bacteriological sample s	submitted to t		Vater Well Disinfecte		S sample was sub-	
	i		milled			,	valer vven Distillector	4: 103	140	
	Ś									
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOI	NTS: Glued	Clamped	
1 Stee		3 RMP (SI	R)	6 Asbestos-Cement	,	specify belo	,			
PVC		4 ABS		7 Fiberglass			······			
Blank casir	ng diameter	<i>.</i>	in. to	ft., Dia		in. to	ft., Dia	<u>.</u>	n. toft.	
Casing heig	ght above la	nd surface	24	in., weight			lbs./ft. Wall thickne	ss or guage No🔾	UKZI	
TYPE OF SCREEN OR PERFORATION MATERIAL:				PVC			10 Asb	estos-Cement		
1 Steel 3 Stainless Steel				5 Fiberglass	P (SR)	SR) 11 Other (Specify)				
2 Bras	S	4 Galvaniz	zed Steel	6 Concrete tile	9 AB	S	12 Non	e used (open hole)		
SCREEN C	R PERFOR	ATION OPENIN	NGS ARE:	5 Guaz	ed wrapped		8 Saw cut	11 Nor	ne (open hole)	
1 Continuous slot 3 Mill slot				6 Wire wrapped			9 Drilled holes			
	ered shutte		ey punched	7 Torch			` ' ')		
SCREENLE	ERECRATE	ED INTERVALS:	From 3	4 ft. to	54	ft From		ft to	ft	
CONLENT	LI II OI IAIL	D INTERIOR	From	ft. to		ft., From	n	ft. to	:ft.	
	RAVEL PAG	CK INTERVALS	: From2	ft. to	9	ft., Fro	n -	ft. to	ft.	
			From	ft. to		ft., Fror	n	ft. to	ft.	
6 GROU	T MATERIA		t cement	2 Cement grout	Bent		4 Other			
Grout Inter	vals: Fron	گر	ft. to	ft., From	ft. to	······	ft., From 	ft. to	ft.	
What is the	nearest so	urce of possible	contamination:			10 Live	stock pens	14 Abandone	d water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		6 Other spe	6 Other specify below)	
3 Wat	ertight sewe	r lines 6 Seep	page pit	9 Feedyard		13 Insecticide storage		HOUSE	HOUSE	
Direction fro	om well?	1.18 CT /K/	OUTHWR ST	_		How ma	any feet? ~ 75			
FROM	TO	WILDITO	LITHOLOGIC	LIOG	FROM	ТО		GGING INTERVAL	S	
		0.41			THOW		1 20	dana militari		
20	32	COTY M	COMIND, GR	NORS TO GRAY						
24	57	Smul, M	BOEVM W	COMPLIE						
37	60	SHALK	GRAY							
7 CONTR	ACTORIS O	D I ANDOMAS	D'C CEDTIEICA	TION: This water well wa	ac (A)constri	oted (2) ro	constructed or (2) of	ugged under my i	riediction and was	
		ear)		ITON: This water well wa						
Mater Mell	Contractor's	Licence No	15A5	This Water				3/24/6	and belief, Marisas	
							(signature)	1. 1.	7	
				MELINMEN		,	14	Jun Old		
				<u>IRMLY</u> and <u>PRINT</u> clearly. Please on St., Suite 420, Topeka, Kansas						
and Environ										

records. Fee of \$5.00 for each constructed well.