		VELL RECORD FO	rm WWC-5	KSA 82a-	1212 ID No.	St. Considerated by the constraint of the control o		
1 LOCATION OF WATER WELL:				ion Number		p Number	Range No	•
County: Shawnee		NW 1/4 SE		14	T 1	1 s	R 14	(E)W
Distance and direction from nearest town	n or city street address	ss of well if located w	vithin city?					
2 WATER WELL OWNER MCM P	roportion II C	olo John Fish						· · · ·
2 WATER WELL OWNER: MCM P		C/O JOHN EICH	man					_
RR#, St. Address, Box # : PO Box						griculture, Divis		Resources
City, State, ZIP Code : Manhat	tan, No boous				Application	n Number: 4	16051	
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	DEPTH OF COM	PLETED WELL	53	ft. FLE	VATION:			
N	Depth(s) Groundwat	er Encountered 1		***	f 2	ft	 3	ff
	WELL'S STATIC WA							
NWNE		st data: Well water						
W Wile	Est. Yield	gpm: vveii water	was		π. aπer	nours p	umping	gpm
× X	Bore Hole Diameter	ELISEDAS: 5 D	ublic water en	only	ft. and	IN 11 In	. to	π.
	Bore Hole Diameter WELL WATER TO B	Feed lot 6 O	il field water s	supply	9 Dewate	rina 12	Other (Speci	fv below)
SW	(2) Irrigation 4	Industrial 7 La	awn and gard	en (domest	ic) 10 Monito	oring well		
	Was a chemical/bac	eriological sample s	ubmitted to Γ	epartment?	Yes No	X If ves	mo/day/vr sam	nple was
	submitted				ater Well Disinfe			
5 TYPE OF BLANK CASING USED:		Wrought Iron	8 Conor					
1 Steel 3 RMP (S		Asbestos-Cement						
PVC 4 ABS						T1	ed	
Block social disperse	·	Fiberglass				inrea	ded	
Blank casing diameter 16	in. to 33	π., Dia	in. to		tt., Dia		in. to	ft.
Casing height above land surface	24 in., I MATERIAL: ss steel 5 ized steel 6 3S ARE:	weight	16.75	lbs./ft.	Wall thickness	or gauge No.	.50	0
TYPE OF SCREEN OR PERFORATION	I MATERIAL:	Fib and an	$\binom{7}{2}$	PVC	10 A	Asbestos-ceme	nt	
1 Steel 3 Stainles 2 Brass 4 Galvani	ss steel 5	Fiberglass	•	RMP (SR)	11 (otner (specify)		
SCREEN OR PERFORATION OPENING	S ARF	5 Gauze	ed wranned	ABS	R saw cut	vone usea (ope	n noie) 11 None (one	n hole)
1 Continuous slot 3 M	ized steel 6 GS ARE: Mill slot	6 Wire v	vrapped		9 Drilled ho	oles	TT None (ope	11 11016)
2 Louvered shutter 4	Key punched	7 Torch	cut		10 Other (s	pecify)		
SCREEN-PERFORATED INTERVALS:		ft. to		ft.	From	ft. to)	ft.
		ft. to						
GRAVEL PACK INTERVALS:	From 20	ft. to	53		From	# t/	·	ft.
SIGNAL TACK INTERVALS.								
6 GPOUT MATERIAL: 1 Neet or	mont 2 Co	ft. to						
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. What is the percent source of possible contemporation:								
What is the nearest source of possible co	t. to	π. From	π. το	40 15	π. From	Π	π. το	π.
virial is the fleatest source of possible of	ontanination.	7 Pit privy			stock pens storage			well
·								
2 Sewer lines 3 Watertight sewer lines						16 Oth	er (specify bero	ow)
Direction from well?	6 Seepage pit	9 Feedyard	J		cticide storage		NONE	
FROM TO CODE	LITHOLOGI	CLOG	FROM	How many		PLUGGING IN	TERVALS	
	face	<u> </u>	TINOW	'0		LOGGING IN	LINVALO	
3 11 Los		, , ,						
11 17 Cla				<u> </u>				
17 30 Fine	e to Medium Sa							
	d Sand w/ Grav						· · ·	
							.,	
	A		ļ		***************************************			
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATION:	This water well was	(1) conetruct	ed (2) mass	netructed or (2)	nlugged under	my juriediction	and was
			(1) CONSTRUCT	<u>ou,</u> (2) 16001	ioducieu, ui (3)	plagged under	my juniouicuon	unu was
completed on (mo/day/yr)	12-12-0 5	5			rue to the best			
Water Well Contractor's License No.			This W	ater Well R	ecord was com	pleted g n (mo/g	ay/yr), 12-	
under the business name of	Woofter	Pump & Well I	nc.	t	v (signature)	I done la	///1991 75	
INSTRUCTIONS:. Please fill in blanks Jackson St., Ste. 420, Topeka, Kansas	and circle the correct a	nswers. Send three c	opies to Kansa	as Departme	nt of Health and I	ny ronment, Bur	eau of Water, 10	000 S W
Jackson St., Ste. 420, Topeka, Kansas	66612-1367. Telepho	ne: 913-296-5545. Se	end one to WA	TER WELL	OWNER and reta	in one for your re	ecords.V	