

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Empty box for application number

1 LOCATION OF WATER WELL: County: Russell, Fraction SE 1/4 NW 1/4 NW 1/4, Section Number 21, Township Number T 11 S, Range Number R 14 E

Distance and direction from nearest town or city street address of well if located within city: Approx. 12.5 mi. N. of Russell on Hwy 281, 1 mi. on Paradise Rd., then approx. 1/4 mi. S. on 184th St. On W. side of road.

Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: Brad Miller, RR#, St. Address, Box #: 2092 W. 280th Dr., City, State, ZIP Code: Paradise, Ks. 67658

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Diagram showing a 2x2 grid with NW, NE, SW, SE quadrants and an 'X' in the NW quadrant.

4 DEPTH OF COMPLETED WELL: 56 ft. Depth(s) Groundwater Encountered (1)...41 ft. (2)... ft. (3)... ft. WELL'S STATIC WATER LEVEL: 24 ft. below land surface measured on mo/day/yr. Pump test data: Well water was...ft. after... hours pumping... gpm Est. Yield...gpm: Well water was...ft. after... hours pumping... gpm

5 TYPE OF CASING USED: 5 Wrought Iron, 8 Concrete tile, CASING JOINTS: Glued, Clamped, Welded, Threaded. 1 Steel, 3 RMP (SR), 6 Asbestos-Cement, 9 Other (specify below). 2 PVC, 4 ABS, 7 Fiberglass. Blank casing diameter: 8 in. to 36 ft., Diameter: in. to in. to ft., Diameter: in. to ft. Casing height above land surface: 18 in., Weight: lbs./ft. Wall thickness or gauge No. SDR 26. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, PVC, 9 ABS, 11 Other (Specify). 2 Brass, 4 Galvanized Steel, 6 Concrete tile, 8 RM (SR), 10 Asbestos-Cement, 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole). 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 8 Saw Cut, 10 Other (specify). SCREEN-PERFORATED INTERVALS: From: 36 ft. to 56 ft., From: ft. to ft., From: ft. to ft. GRAVEL PACK INTERVALS: From: 25 ft. to 56 ft., From: ft. to ft., From: ft. to ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, Bentonite, 4 Other. Grout Intervals: From: 0 ft. to 25 ft., From: ft. to ft., From: ft. to ft. What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, 16 Other (specify below). 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 14 Abandoned water well. 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer Storage, 15 Oil well/gas well.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-3 Topsoil, 4-13 Clay, 13-19 Fine sand, 19-35 Clay, 36-41 Clay w/sand streaks, 41-49 Medium sand w/gravel, 49-56 Shale.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/22/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 767. This Water Well Record was completed on (mo/day/year) 7/26/07 under the business name of Mid Kansas Water Well Service, LLC by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks under line of circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.