WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No. 11, 13	
LOCATION OF WATER WELL:	Fraction SE & S W & NW	Section Number   Township Number   Range Number	er
Street/Rural Address of Well Location: if un	known, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If at owne	r's address, check here □.	Latitude: (in decimal degree Longitude: (in decimal degree Longitude)	ees)
,		Elevation: (in decimal degree	ees)
2 WATER WELL OWNER Hook	Farms LLC 1141V 74	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
RR#, St. Address, Box # Sq. City, State, ZIP Code	20 NW US HWY 24	Collection Method:	
511	verLake, Ks 61539.9471	☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	)
1 LOCATE WEY		Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	Di Coloni altri regionem nazioni ni 1978.	6.	
SECTION BOX: Depth(s) Groun	idwater Encountered (1)	ft (2)	C)
N WELL'S STA	FIC WATER LEVEL 28	ft. (2) ft. (3)  ft. below land surface measured on mo/day/yr	11.
l l l l l Pu	mp test data: Well water was	ft. after hours pumping	gpm
I I NW I NE I LEST. YIELD	gpm: Well water was	ft after hours numping	mm
WELL WATE	R TO BE USED AS: Public w	rater supply	
SW SE X Irrigation	☐ Feedlot Oil field water supp	ly Dewatering Deter (Specify below)	)
Was a chemica	I/bacteriological sample submitted t	to Department? Tyes   X   No	
S If yes, mo	/day/yr sample was submitted	and the second s	
	sinfected? 🗵 Yes 🗆 No		
5 TYPE OF CASING USED: Ste	el 🗵 PVC 🗆 Other		
Casing diameter 16 in to 35	pped ☐ Welded ☐ Three	ended in to the Diameter in the	e.
CASING JOINTS: Similar Clamped Welded Threaded Casing diameter 16 in. to 35 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight 16.15 lbs./ft. Wall thickness or gauge No. 500 TYPE OF SCREEN OR PERFORATION MATERIAL:			
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Cher (Specify)			
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Stee		ther (Specify)	
SCREEN OR PERFORATION OPENINGS	ARE:		
☐ Continuous Slot ☐ Mill slot ☐ Louvered shutter ☐ Key punche	☐ Gauze wrapped ☐ Torcl d ☐ Wire wrapped ☒ Saw	h cut	
SCREEN-PERFORATED INTERVALS.	From <b>33</b> H. 10	75 ff From ff to	(f) (
ODANEL DAGWANTENALA	From ft. to	ft., From ft. to 75 ft., From ft. to	ft.
GRAVEL PACK INTERVALS:	From 20 ft. to	75 ft., From ft. to	ft.
6 GROUT MATERIAL:  X  Neat cir	nent Cement grout Bor	ft., From ft. to	
Total title A H. H.	J 40 H. From	ft. to ft. From ft. to	ft.
What is the nearest source of possible contu	nination:		•
☐ Septic tank ☐ Latered 1☐ Cesspect		stock pens	ow)
☐ Watertight sewer lines ☐ Seepage	pit    Feedyard    Fertil	lizer storage	
Direction from well		nce from well	
FROM TO LITTE	OLOGIC LOG FRO	OM TO LITHO. LOG (cont.) or PLUGGING INTERV	ALS
4 30 Clay			
30 75 Med sand & larg	e gravel		
75 shale		-	
7 CONTRACTOR'S OR LANDOV NER'S CERTIFICATION: This water well was constructed, or □ plugged under my jurisdiction and was completed of (mo/day/year) 3-8-2012 And this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year) 5 - 22 - 12 iunder the business name of Woofter Pup & Well Inc. by (signature) Lange Contractor's License No. 54			
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., uite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain			
one for your records. Include fee of \$5.00 for each honorructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.			