WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 DINO.
Sizeet/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here
direction from nearest town or intersection: If at owner's address, check here
check here 309 Railroad Silver Lake, Kansas 66539 Silver Lake, Silver La
Silver Lake, Kansas 66539 Elevation: WGS84,
NATER WELL OWNER: RDHE 1000 SW Jackson Topeka, Kansas 66612 Gollection Method; Gollec
WATER WELL OWNER: RR#, St. Address, Box #: 1000 SW Jackson Topeka, Kansas 66612 GPS unit (Make/Model: 1000 SW Jackson Topeka, Kansas 66612 Ext. Accuracy: <3 m. 3.5 m. 5.15 m. > 15 m > 1
RR#, St. Address, Box #: City, State ZIP Code: Topoka, Kansas 66612
City, State ZIP Code: Topeka, Kansas 66612 Est. Accuracy:
MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 20.59 ft
WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL
WELL'S STATIC WATER LEVEL 20.59 ft WELL WAS USED AS: Dewatering Oil Field Water Supply Domestic (Lawn & Garden) Air Conditioning Unjection Well Other Was a chemical/bacteriological sample submitted to Department? Yes No Absestos-Cement Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 ft Casing height above or below land surface 36 in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seevage pit Full storage Fertilizer storage Lateral lines Seevage algoon Insecticide storage Abandoned water well Direction from well? On-site Lateral lines Feedyard Abandoned water well Direction from well? On-site O 0.5 Gravel Cess pool Livestock pens Oil well/Gas well How many feet? O 5 TYPE OF BLANK CASING USED: Wethought Assessment Concrete Tile Seepage pit Fred storage Lustrage LUST site (U4-089-11353) From TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS O 0.5 Gravel O O 0.5 Gravel O O 0.5 Gravel O O 5 3 Compacted Sit/Clay O 3 3 34.91 Hydrated Bentonite Chips 34.91 TD
WELL WAS USED AS: WELL WAS USED AS: WELL WAS USED AS: WELL WAS USED AS: Domestic Irrigation Feedlot Industrial Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Asbestos-Cement Fiberglass Public Water Supply Oil Field Water Supply Injection Well Other Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Asbestos-Cement Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 ft Casing height above or below land surface 36 in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Sever lines Sewer lines Sewage lagoon Lateral lines Sewer lines Feedyard Abandoned water well Direction from well? On-site Lateral lines Feedyard Abandoned water well Direction from well? On-site Cess pool Cess pool To PLUGGING MATERIALS FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS O 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 3 34.91 Hydrated Bentonite Chips 34.91 TD
NW
Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Wrought Asbestos-Cement Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 ft Casing height above or below land surface -36 in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft. From ft. to ft. From ft. to ft. From ft. to ft. From Seeptic tank Seepage pit Fuel storage Watertight sewer lines Pit privy Fertilizer storage Lateral lines Feedyard Abandoned water well Direction from well? On-site O
Was a chemical/bacteriological sample submitted to Department? Yes No X Steel
SW
Was a chemical/bacteriological sample submitted to Department? Yes No
Steel RMP (SR) Wrought Concrete Tile Steel RMP (SR) Asbestos-Cement Concrete Tile Steel RMP (SR) Steel
Steel RMP (SR) Asbestos-Cement Concrete Tile
Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 ft Casing height above or below land surface36 in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Fertilizer storage Lust site (U4-089-11353) Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well? On-site Cess pool Livestock pens Oil well/Gas well How many feet? 0 FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS 0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips 34.91 TD
Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 ft Casing height above or below land surface36 in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Fertilizer storage Lust site (U4-089-11353) Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well? On-site Cess pool Livestock pens Oil well/Gas well How many feet? 0 FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS 0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips 34.91 TD
Casing height above or below land surface
Casing height above or below land surface
GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Pit privy Fertilizer storage Lateral lines Sewage lagoon Lateral lines Cess pool FROM TO PLUGGING MATERIALS O 0.5 Gravel O.5 3 Gravel O.5 3 Gravel O.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Cement grout Bentonite Other Grout Plug Intervals: From ft. to ft., From ft. to ft., From ft. to ft. From ft. to ft. Other (specify below) LUST site (U4-089-11353) LUST site (U4-089-11353) On-site How many feet? O PLUGGING MATERIALS O PLUGGING MATERIALS O D.5 Gravel O.5 3 Compacted Silt/Clay 3 34.91 TD
Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Fertilizer storage Insecticide Insecticide Insecticide Insecticide Insecticide Insecticide Insecticide Insecticid
Grout Plug Intervals: From 3 ft. to 34.91 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Fertilizer storage Insecticide Insecticide Insecticide Insecticide Insecticide Insecticide Insecticide Insecticid
What is the nearest source of possible contamination: Septic tank
What is the nearest source of possible contamination: Septic tank
Septic tank Sewer lines Watertight sewer lines Lateral lines Cess pool FROM TO PLUGGING MATERIALS O 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips Tertilizer storage Fertilizer storage Abandoned water well Direction from well? On-site Direction from well? On-site How many feet? Other (specify below) LUST site (U4-089-11353) LUST site (U4-089-11353) Direction from well? On-site How many feet? O 2 PLUGGING MATERIALS FROM TO PLUGGING MATERIALS O 3.5 Gravel O.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips
Sewer lines Watertight sewer lines Lateral lines Cess pool FROM TO PLUGGING MATERIALS O 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips Tertilizer storage Insecticide storage Abandoned water well Direction from well? On-site How many feet? O PLUGGING MATERIALS FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS O 0.5 Gravel O.5 3 Compacted Silt/Clay 3 34.91 TD
Watertight sewer lines Lateral lines Cess pool Livestock pens Oil well/Gas well Direction from well? On-site Oil well/Gas well How many feet? O FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS 0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips TD
Cess pool Livestock pens Oil well/Gas well How many feet? O FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS 0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips TD
FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS 0 0.5 Gravel 0.5 3 Compacted Silt/Clay 0.5
0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips 34.91 TD
0 0.5 Gravel 0.5 3 Compacted Silt/Clay 3 34.91 Hydrated Bentonite Chips 34.91 TD
3 34.91 Hydrated Bentonite Chips 34.91 TD
34.91 TD
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was nlugged under my jurisdiction and was
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was nlugged under my jurisdiction and was
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was nlugged under my jurisdiction and was
A A A A LANGE OF THE ACT OF THE WAS PROSECULATED THE WAS PROSECULATED TO THE W
completed on (mo/day/year) 11/15/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 . This Water Well Record was completed on (mo/day/year) 11/17/2016 under the
business name of Associated Environmental, Inc. by (signature)
Cond and the condete Veneral Department of TI - 14. 0 To 1
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.

KSA82a-1212

Revised 1/20/2015