ALLOCATION OF W	ATED MELL	I = " NOON	VELL RECORD	Form WWC-5	KSA 82a				
1 LOCATION OF W			center of we				ip Number		e Number
County: Shawnee				E. 1/4	<b>1</b> 5	Т	11 s	R	14 (EW
Distance and direction	on from nearest town of	or city street addre	ess of well if located	within city?					
	½ mile eas	t of Silver	Lake on U.S	2ll and	1 mi c	outh			
2 WATER WELL C	WNER: Samuel G		Latite on oth	Z-T GIIG	. # 111T * 2	oudii.	5 1	// ** 5	
							Redrill		
	30x # : 502 Merc					Board	l of Agriculture, l	Division of V	Vater Resources
City, State, ZIP Code	s : Silver L	ake Ks. 665	39			Applio	ation Number: 8	314	
	LOCATION WITH 4			<u> </u>	# ELEVA				
AN "X" IN SECTION									
[			er Encountered 1.						
	1   WE	ELL'S STATIC WA	ATER LEVEL . 27.	ft. b	elow land surf	face measure	ed on mo/day/yr	3-21-	·90
1 1		Pump te	st data: Well water	rwas34	ft. af	fter	hours pu	80 pniqm	0 gpm
NW	-  NE    Fet	t Vield 1500	. gpm: Well water	rwas 43	ft af	ter 2	houre ou	mping 10	000 gpm
]		an Hala Diamatan	32	96	، ، ، ، ، ، ال. ها		Hours pu	inping	you gpiii
W			32 in. to .						
	I WE	ELL WATER TO E	BE USED AS:	5 Public wate	r supply	8 Air condition	oning 11	Injection we	H
17		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Spec	cify below)
2	- X - SE	2 Irrigation			arden only 1				,
	1 1 1			-	-				
<u> </u>			eriological sample s	ubmitted to Di	-		_		` 1
		tted			Wat	er Well Disin	fected? Yes XX	N <sub>C</sub>	)
5 TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING	JOINTS: Glued	IXX CI	amped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify below	<b>/</b> )	Weld	ed	
2 PVC	4 ABS		Fiberglass		` '	'			
	. ,								
Biank casing diamete	er <u>1</u> 6 in.	<b>to</b>	ft., Dia	in. to		ft., Dia .		in. to	ft.
Casing height above	land surface24.	in.,	weight		lbs./f	t. Wall thickn	ess or gauge No	o <b>.</b> 6.5 .	
TYPE OF SCREEN	OR PERFORATION M	MATERIAL:		7 PV			Asbestos-ceme		
1 Steel	3 Stainless ste	eel 5	Fiberglass	8 RM	-		Other (specify)		
2 Brass	_		-						
	4 Galvanized		Concrete tile	9 AB	_		None used (op	en noie)	
SCREEN OR PERFO	DRATION OPENINGS	ARE:	5 Gauze	d wrapped	_	8 Saw cut		11 None (	open hole)
1 Continuous s	slot 3 Mill sl	lot	6 Wire v	vrapped		9 Drilled ho	oles		
2 Louvered shu	utter 4 Key p	ounched	7 Torch	cut		10 Other (er	pecify)		
SCREEN-PERFORA			ft. to . 8	λ <b>Ο</b>	ft., Fron				
		F.,	4						
1							ft. t		
GRAVEL P									
GRAVEL P	ACK INTERVALS:	From 20	ft. to	.86	ft., Fron	n	ft. t	o	
	ACK INTERVALS:	From 20 From	ft. to ft. to	.86	ft., Fron ft., Fron	n	ft. to	o	tt. ft.
6 GROUT MATERIA	ACK INTERVALS:  AL: 1 Neat cem	From 20	ft. to ft. to  cement grout	.86 3 Bento	ft., Fron ft., Fron nite 4 (	n	ft. t	o	ft. ft.
6 GROUT MATERIA	ACK INTERVALS:	From 20	ft. to ft. to  cement grout	.86 3 Bento	ft., Fron ft., Fron nite 4 (	n	ft. t	o	ft. ft.
6 GROUT MATERIA Grout Intervals: Fr	ACK INTERVALS:  AL: 1 Neat cem	From 20	ft. to ft. to  cement grout	.86 3 Bento	ft., Fron ft., Fron nite 4 (	n	ft. to	o	ft. ft. ft.
6 GROUT MATERIA Grout Intervals: Fr What is the nearest	AL: 1 Neat cemom 0	From 20	ft. to  ft. to  cement grout  ft., From	.86 3 Bento	ft., Fron ft., Fron nite 4 ( to 10 Livest	nn  Other  ft., Fromother pens	ft. to ft	oo	ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank	AL: 1 Neat cemom. 0	From 20	ft. to ft. to  ement grout ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron ft.	n	ft. to ft	o	ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS:  AL: 1 Neat cemom0	From 20	tt. to  ft. to  rement grout  ft., From  7 Pit privy  8 Sewage lago	3 Bento ft.	tt., Fron ft., Fron ft., Fron ft.	nn  Other  ft., Fromother pens	ft. to ft	oo	ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines	AL: 1 Neat cemom. 0	From 20	ft. to ft. to  ement grout ft., From	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	ft. to ft	o	ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS:  AL: 1 Neat cemom. 0	From 20	tt. to  ft. to  rement grout  ft., From  7 Pit privy  8 Sewage lago	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	ft. to ft	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	ACK INTERVALS:  AL: 1 Neat cern om. 0	From20 From  lent 2 0 to20  stamination: nes ol	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	ft. to ft	o	ft. ft. ft. ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20 From ent 2 0 to20 stamination: nes ol pit	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20 From ent 2 0 to20 stamination: nes ol pit	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From  ent 2 0 to20  stamination: nes ol pit  LITHOLOGIC LOC  silt	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22	ACK INTERVALS:  AL: 1 Neat cemom. 0ft. ft. ft. ft. ft. ft. ft. ft.	From20  From  lent 2 0 to20  Intamination: nes ol pit  LITHOLOGIC LOC  silt lay	ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From20  From  lent 2 C  to20  Intamination:  nes  ol  pit  LITHOLOGIC LOC  silt  lay  nd & gray c	ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From  From  Pent 2 0  to20  Intamination:  Ines  of pit  LITHOLOGIC LOC  silt  lay  nd & gray c  grey sand	ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From 20  From 20  Itanination: Ines of pit  LITHOLOGIC LOC  silt lay Ind & gray con grey sand Interpretate gray grave	ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From 20  From 20  Itanination: Ines of pit  LITHOLOGIC LOC  silt lay Ind & gray con grey sand Interpretate gray grave	ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From 20  From 20  Itent 2 0  to 20  Intamination:  Ines	ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  G	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44	ACK INTERVALS:  1 Neat cem om. 0	From20  From  ent 2 C  to20  ntamination: nes  of pit  LITHOLOGIC LOC  silt  lay nd & gray c  grey sand  grey grave  grey grave  brown grav	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  G  Lay  1	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44	ACK INTERVALS:  1 Neat cem om. 0	From20  From  Lithologic Loc  silt  lay  nd & gray c  grey sand  grey grave  grey grave  brown grav  brown grav	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  el  el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53	ACK INTERVALS:  1 Neat cem om. 0	From20  From  Lithologic Loc  silt  lay  nd & gray c  grey sand  grey grave  grey grave  brown grav  brown grav	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  el  el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From  ent 2 0  to20  Itamination:  nes  of pit  LITHOLOGIC LOC  silt  lay  nd & gray c  grey sand  grey grave  grey grave  brown grav  brown grav  brown sand	ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  1  1  1  1  1  1  1  1  1  1  1	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  From  Intent 2 0  Ito 20  Intamination:  Ines  Ines  Ines  Ines  Interior in	ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  1  1  1  1  1  1  1  1  1  1  1	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  Pent 2 0 to20  Itamination:  nes  ol pit  LITHOLOGIC LOC  silt  lay  nd & gray c  grey sand  grey grave  grey grave  brown grav  brown grav  brown grav  grave  brown grav  grave  control  cont	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  1 1 el el el el el & grey el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  Pent 2 0 to20  Itamination:  nes  ol pit  LITHOLOGIC LOC  silt  lay  nd & gray c  grey sand  grey grave  grey grave  brown grav  brown grav  brown grav  grave  brown grav  grave  control  cont	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  1 1 el el el el el & grey el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  Pent 2 0 to20  Itamination:  nes of pit  LITHOLOGIC LOC  Silt  lay nd & gray c grey sand grey grave grey grave brown grav	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  1 1 el el el el el & grey el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. vater well
GROUT MATERIA Grout Intervals: Fr What is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 60	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  Pent 2 0 to20  Itamination:  nes of pit  LITHOLOGIC LOC  Silt  lay nd & gray c grey sand grey grave grey grave brown grav	ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  1 1 el el el el el & grey el	3 Bento ft.	ft., Fron ft., Fron nite 4 ( to	n	m	o	ft. ft. ft. ft. ft. ft. vater well
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86	ACK INTERVALS:  1 Neat cerm om. 0	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  G  lay  lay  cel cel & grey el  cel	3 Bento ft.	ft., Fron ft., F	n Other Other  Other  ft., Fro ock pens storage zer storage zer storage zer storage icide storage by feet? 20	14_Al 15 Ō 16 O  LITHOLOG	o	
6 GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86	ACK INTERVALS:  1 Neat cem om. 0	From 20  From ent 2 0 to20 ntamination: nes of pit  LITHOLOGIC LOC  silt lay nd & gray c grey sand grey grave grey grave brown grav brown grav brown grav brown grav brown grav caravel brown grav gravel brown grav caravel certification:	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  G  lay  lay  cel cel & grey el  cel	3 Bento ft.  FROM  Sty	ft., Fron ft., F	n Other Other ft., Fro ock pens storage zer storage zer storage zer storage icide storage by feet? 20	14_Al 15 Ō 16 O LITHOLOG	o	fit
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86	ACK INTERVALS:  1 Neat cem om. 0	From 20  From ent 2 C to 20 Itamination: nes of pit  LITHOLOGIC LOC  silt lay nd & gray c grey sand grey grave brown grav brown grav brown grav brown grav brown grav cravel brown grav gravel brown grav stopped  CERTIFICATION:	ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. for  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  1  1  1  1  1  1  1  1  1  1  1	3 Bento ft.  FROM  FROM  Structure (1) construction	10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man	Other Other  ft., Fro ock pens storage zer storage zer storage icide storage by feet? 20	m	or ft. to or pandoned will well/Gas of ther (specification of the control of the	fit
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86	ACK INTERVALS:  1 Neat cem om. 0	From 20  From ent 2 C to 20 Itamination: nes of pit  LITHOLOGIC LOC  silt lay nd & gray c grey sand grey grave brown grav brown grav brown grav brown grav brown grav cravel brown grav gravel brown grav stopped  CERTIFICATION:	ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. for  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  1  1  1  1  1  1  1  1  1  1  1	3 Bento ft.  FROM  FROM  Structure (1) construction	10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man	Other Other  ft., Fro ock pens storage zer storage zer storage icide storage by feet? 20	m	or ft. to or pandoned will well/Gas of ther (specification of the control of the	fit
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 44 44 53 53 57 57 58 58 60 60 85 85 86  7 CONTRACTOR'S completed on (mo/da Water Well Contractor	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  ent 2 0 to20  ntamination: nes of pit  LITHOLOGIC LOC  silt lay nd & gray c grey sand grey grave brown grav brown grav brown grav brown grav brown grav cravel brown grav gravel brown grav stopped  CERTIFICATION: 90323	t. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. for  7 Pit privy  8 Sewage lago 9 Feedyard  1  1  el  el  el  el  ft. to  f	3 Bento ft.  FROM  FROM  Structure (1) construction	tt., Fron ft., F	Other  Other  ft., From ock pens storage generatorage gene	m	or ft. to or pandoned will well/Gas of ther (specification of the control of the	fit
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86  7 CONTRACTOR'S completed on (mo/da Water Well Contracto under the business n	ACK INTERVALS:  AL: 1 Neat cerm om. 0	From 20  From  From  Pent 2 0  to 20  Itamination:  nes of pit  LITHOLOGIC LOC  silt  lay  nd & gray c  grey sand  grey grave  brown grav  brown grav  brown grav  brown grav  cravel  brown grav  stopped  CERTIFICATION: 90   323  r Drilling	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  1 1 el  el  el  wel  this water well wa  This Water Wel  Co.	3 Bento ft. on FROM sty ell Record wa	tt., Fron ft., F	other ft., From the control ock pens storage of the control ock pens storage of the control ock pens storage of the control och the contr	(3) plugged und e best of my know 24-26-	or ft. to or pandoned will well/Gas wither (specify converge and specify converge and specifical converge an	diction and was belief. Kansas
GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 7 7 22 22 31 31 33 33 35 35 42 42 44 44 53 53 57 57 58 58 60 60 85 85 86 7 CONTRACTOR'S completed on (mo/da Water Well Contractor under the business n INSTRUCTIONS: Use	ACK INTERVALS:  1 Neat cerm om. 0	From 20  From  From  Pent 2 Co  Ita  Ita  Ita  Interpolation:  Ines	t. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. for  7 Pit privy  8 Sewage lago  9 Feedyard  1  1  el  el  el  which are the prive of the prive o	SE S	nite 4 0 to	Other	(3) plugged und be best of my known the company of	or ft. to opendoned will well/Gas ther (specification)	diction and was belief. Kansas