WATER WELL RECORD Form WWC-5	Division of Water Resources App. No. Well ID MW5						
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number						
County Shawnee NE NW NE NW NV 36 T 11 S R 15 X E JW 2 WELL OW/NEP: Loct Name: First: Street or Rural Address where well is located (if unknown, distance and direction)							
Business: KDHE fro	om nearest town or intersection): If at owner's address, check here:						
Address: 1000 SW Jackson Blvd Address:	of 2001 SW 6th Ave., Topeka, KS						
City Topeka State: KS ZIP: 66612	a contraction and the contraction of the contractio						
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 19. WITH "X" IN Depth(s) Groundwater Encountered: 1)	ft Longitude 39.03793 (declinal degrees) ft Longitude 95.69922 (declinal degrees)						
SECTION BOX: 2)ft 3)ft, or 4)Dry Well Horizontal Datum: WGS 84NAI							
WELL'S STATIC WATER LEVEL: 13.93	7/25/19 GPS (unit make/model:						
above land surface, measured on (mo-day-yr)	-day-yr) (WAAS enabled? Yes No)						
Pump test data: Well water was ft	X Land Survey Dopographic Map						
W E and spinping ppinping ppinping Water well was ft							
sw se afterhours pumping gp	m 6 Elevation 912.00 ft Ground Level X TOC SourceX Land Survey GPS Topographic M						
Bore Hole Diameter: 7.25 in to ft,	and Other						
s in to ft							
7 WELL WATER TO BE USED AS:							
1 Domestic: 5 Public Water Supply: well ID	10 Oil Field Water Supply: lease						
Lawn & Garden 7 Aquifer Recharge: well ID	Cased Uncased Geotechnical						
Livestock 8 X Monitoring: well ID MW5	12 Geothermal: How many bores?						
2 Irrigation 9 Environmental Remediation: well ID 3 Feedlot Air Sparge Soil Vapor Extraction	vironmental Remediation: well ID a) Closed Loop Horizontal Vertical						
4 Industrial Recovery Injection	Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes XNo	If yes, date sample was submitted:						
Water well disinfected? Yes X No	CASING JOINTS. Cloud Claused Welded V Threaded						
Casing diameter 2 in. to 9.5 ft, Diameter in. to	ft, Diameter in. to ft,						
Casing height above land surface -0.31 in. Weight Ibs	s./ft. Well thickness or gauge No						
Steel Stainless Steel Fiberglass X PVC	Other (Specify)						
Brass Galvanized Steel Concrete tile None used (open hole	c)						
SCREEN OR PERFORATION OPENINGS ARE:	ut Divitlad Holog Other (Specify)						
Continuous Slot X Mill Slot Gauze Wrapped Forch Cut Drilled Holes Other (Speeity)							
SCREEN-PERFORATED INTERVALS: From 9.5 ft. to 19.5 ft, From ft. to ft, From ft. to ft, From ft. to ft,							
GRAVEL PACK INTERVALS: From 6 ft. to 19.5 ft, From	nt. tot, Fromtt. tot,						
9 GROUT MATERIAL: Neat ecment Cement grout X Bentonite X Other Concrete: 0-0.7'							
Nearest source of possible contamination:							
Septic Tank Lateral Lines Pit Privy	Livestock Pens Insecticide Storage						
Sewer Lines Cess Pool Sewage Lagoon	X Fuel Storage Abandoned Water Well						
Other (Specity)							
Direction from well? Unknown Distance from well?	Unknown ft						
10 FROM 10 LITHOLOGIC LOG 0 0.6 Asphalt	FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS						
0.6 10 Silty clay							
10 13.25 Sandy clay w/ weathered sandstone 13.25 18 Shale and weathered mudstone							
18 19.5 Limestone							
	Notes: KDHE ID: Sinclair. Topcka: U4-089-15037						
Target of monitoring well is shallow groundwater, <20' of grout was installed at							
the direction of KDHE.							
jurisdiction and was completed on (mo-day-year) 7/23/19 and this record is true to the best of my knowledge and belief. Jurisa Water Well Contractor's							
License No 757 This Water Well Record was completed on (mo-day-year) 8/8/19							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
under the oblighter in construction of the oblighter in the							

,

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas 66046

RE: Monitor Well Elevation Survey 2001 SW 6th Ave., Topeka, Kansas

August 1, 2019

Proj. 19-00AA Sinclair, Topeka KDHE ID U4-089-15037

Bench Mark	: Chisled S	Sq. on center	front of s	torm inlet r	hear NE corner of	property.	
Elev: 910.41 North 5161.89		West 3346.31		(from SE Cor. Sec. 36-11-15E)			
MW-1	rim	912.42	North	5156.99	NE1/4,NW1/4,NE1/4,NW1/4		
	top pipe	912.15	West	3387.29	Lat = 39.05835	Long = 95.69942	
MW-2	rim	912.55	North	5112.37	NE1/4,NW1/4,N	W1/4,NE1/4,NW1/4	
	top pipe	912.23	West	3385.35	Lat = 39.05823	Long = 95.69941	
MW-3	rim	918.73	North	5138.57	NE1/4,NW1/4,N	1/4,NW1/4,NE1/4,NW1/4	
	top pipe	918.49	West	3492.68	Lat = 39.05830	Long = 95.69979	
MW-4	rim	910.13	North	5212.24	NE1/4,NW1/4,NE1/4,NW1/4		
	top pipe	909.81	West	3318.36	Lat = 39.05850	Long = 95.69917	
MW-5	rim	912.31	North	5011.61	NE1/4,NW1/4,NE1/4,NW1/4		
	top pipe	912.00	West	3330.12	Lat = 39.05795	Long = 95.69922	
MW-6	rim	911.24	North	5109.47	NE1/4.NW1/4.NE1/4.NW1/4		
	top pipe	910.94	West	3302.46	Lat = 39.05822	Long = 95.69912	

Elevation derived from City of Topeka bench mark #187.1 NAVD 27.

Lat & Long derived from Topeka 7.5 Quad Map WGS84.

201

nis L Handke RES

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you.

RECEIVED

AUG 2 8 2019 BUREAU OF WATER

