


LOCATION OF WATER WELL: County: SHAWNEE Fraction: SE 1/4 SW 1/4 NW 1/4 Section Number: 9 Township Number: T 11 S Range Number: R 15 EW

Distance and direction from nearest town or city street address of well if located within city?  
1 1/2 north, 1 1/2 west of Topeka

WATER WELL OWNER: Wooster Development  
 R#, St. Address, Box # : 5000 NW 35th Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : Topeka, KS Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



DEPTH OF COMPLETED WELL: 97' ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.  
 WELL'S STATIC WATER LEVEL: 60' ft. below land surface measured on mo/day/yr 11-29-93  
 Pump test data: Well water was .... ft. after .... hours pumping .... gpm  
 Est. Yield: 10 gpm: Well water was .... ft. after .... hours pumping .... gpm  
 Bore Hole Diameter: 12" in. to .... ft., and .... in. to .... ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No X.....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing diameter: 5" in. to 0-70 ft., Dia. 5" in. to 80-96 ft., Dia. .... in. to .... ft.  
 Casing height above land surface: 24" in., weight 2.82 lbs./ft. Wall thickness or gauge No. 258

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From: 70 ft. to 80 ft., From .... ft. to .... ft.  
 From: 96 ft. to 97 ft., From .... ft. to .... ft.  
 GRAVEL PACK INTERVALS: From: 24 ft. to 97 ft., From .... ft. to .... ft.  
 From .... ft. to .... ft., From .... ft. to .... ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From: 4 ft. to 24 ft., From .... ft. to .... ft., From .... ft. to .... ft.

What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? south How many feet? 200'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil			
1	24	Clay-Brown			
24	25	Boulders			
25	31	Clay-Brown			
31	32	Boulders			
32	46	Clay-Brown			
46	49	Fine Sand-Brown			
49	52	Clay-Brown			
52	57	Fine Sand-Coarse Sand-Brown-Med-Gravel			
57	66	Fine Sand-Coarse Sand			
66	77	Fine Sand-Coarse Sand-Med-Gravel-Brown			
77	79	Fine Sand-Coarse Sand-Med-Pea <u>1/2x1/2</u>			
79	97	Shale-Grey			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-29-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182 This Water Well Record was completed on (mo/day/yr) 12-13-93 under the business name of STRADER DRILLING CO., INC. by (signature) Dale Strader