		WAIEHW	PELL RECORD 1	orm ww	VC-5	KSA 82a-	1212					
LOCATION OF WATER WE		ection	20 10			Number	To	ownship Nu	mber	Range N	umber	
ounty: Shawnee			52 1/4 11 1	2 1/4		<u>o</u>			S	R /5	ENV	
istance and direction from ne	•		ess of well if located	within ci	ty?							
BHIWAY & 35	- West	1.m.										
14/4 TED 14/E! / OLLALED	Leonard		n									
D# Ct Address Day # .		, , , , ,		L				Board of Ag	riculture,	Division of Wate	er Resources	
ity, State, ZIP Code : '	4335 NO	0 33 7	1 Topeka	10.	خ 			Application	Number:			
LOCATE WELL'S LOCATION	N WITH 4 DEP	TH OF COM	PLETED WELL	47	f	t. ELEVAT	TION:					
AN "X" IN SECTION BOX:	Depth(s	) Groundwate	er Encountered 1.	40	<b>?</b>	ft. 2			ft. 3			
	WELL'S	STATIC WA	ATER LEVEL <b>2.9</b> .	6	ft. below	land surf	face me	asured on	mo/day/yr	6-3-8	4	
	:	Pump tes	st data: Well water	was		ft. af	ter		hours pu	mping	gpm	
	Est. Yie	eld . <i>I.O</i>	. gpm: Well water	was .	<u>.</u>	ft. af	ter		hours pu	mping	gpm	
	Bore H	ole Diameter	<b> </b>	4.7	<b>,</b> 	ft., a	and		in	. to	ft.	
W I I	WELL	NATER TO E	BE USED AS: 5	5 Public v	water su	pply	8 Air co	onditioning	11	Injection well		
sw sc		Domestic	3 Feedlot 6	Oil field	water s	supply	9 Dewa	atering	12	Other (Specify	below)	
3W 3E	اح   ا	rrigation	4 Industrial 7	Lawn a	nd garde	en only 1	0 Obse	ervation well				
_ i _ 1	Was a	chemical/bact	eriological sample su	ubmitted t	to Depar	tment? Ye	s	No	; If yes	mo/day/yr sam	ple was sub-	
\$	mitted					Wat	er Well	Disinfected	? Yes	X No		
TYPE OF BLANK CASING	USED:	5	Wrought iron	8 Co	oncrete t	ile	CA	ASING JOIN	ITS: Glue	d 🃈 Clami	ped	
1 Steel 💋	RMP (SR)	6	Asbestos-Cement	9 Ot	her (spe	cify below	<i>ı</i> )		Weld	ed		
2 PVC 4	ABS	7	Fiberglass						Threa	aded		
lank casing diameter 5	in. to .	<b>42</b>	ft., Dia	in	. to		. <u>, .</u> ft.,	Dia	<i>.</i>	in. to	ft.	
asing height above land surf	ace <b>2</b> .4	in.,	weight			lbs./f	t. Wall	thickness o	gauge N	o5DR.	26	
YPE OF SCREEN OR PERF	ORATION MATE	RIAL:		7	PVÇ			10 Asbe	stos-ceme	ent		
1 Steel 3	Stainless steel	5	Fiberglass	Ø	RMP (S	SBY		11 Othe	r (specify)			
2 Brass 4	Galvanized steel	6	Concrete tile	9	ABS			12 None	used (op	en hole)		
CREEN OR PERFORATION	OPENINGS ARE	:	5 Gauze	d wrappe	eđ		8 Sav	v cut		11 None (ope	en hole)	
1 Continuous slot	3 Mill slot		6 Wire w	rapped			9 Dril	led holes			ł	
2 Louvered shutter	4 Key punch	ned	7 Torch									
CREEN-PERFORATED INTE	ERVALS: From	n	<b>★</b> ft. to							0		
	Fror	n	ft. to	מע וויני	,	ft., Fron	n		ft. t	o		
GRAVEL PACK INTI	ERVALS: From	n	8 ft. to	77		ft., Fron	n		ft. t	0		
	Fror	n	ft. to			ft., Fron	n		ft. t	0	ft.	
GROUT MATERIAL:	1 Neat cement	10	ement grout		entonite							
	<b>)</b> ft. to		. ft., From		ft. to		ft.,	From		ft. to		
hat is the nearest source of	possible contami	nation:				10 Livest	•			bandoned wate	I	
Septic tank 4 Lateral lines			7 Pit privy		· 11 Fuel storage				15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lago	on	•				16 Other (specify below)			
3 Watertight sewer lines	, , , , , ,		9 Feedyard		13 Insecticide storage							
	ryn	01.0010.1.00		LEDO		How man	y feet?			10.1.00		
FROM TO		OLOGIC LOC	3	FRO	VI .	то		L	ITHOLOG	iic Log		
0 3 70	lav vello	41		<del> </del>								
3 30 0	M / 1	<i></i>		+								
	ndy clay	m. I	1.4	1								
40 45 501	of Fine	ringea	dirty									
45 47 Sen	d FINE-11	led-loa	rse - auty	1								
				<del> </del>								
				<del> </del>	<del></del>							
			****	+								
				+	-							
				+								
				<del>ل</del>		<u></u> _						
CONTRACTOR'S OR LAN		TIFICATION: <b>*2.</b> /	This water well wa	s (1 Con								
impleted on (mo/day/year) .	6-3-8	·Z							t of my kn	owledge and be	ellet. Kansas	
'ater Well Contractor's Licens	0/5	<i>D</i>	This Water We	ell Record			-	day/yr)	9-2	6 F. J		
nder the business name of	Mabis of		DECC FOUNT	DDINT -		by (signat		yac	7 Kd	Correct const	re Send ton	
ISTRUCTIONS: Use typewrite iree copies to Kansas Department												
WNER and retain one for vo			, =			G0010g	, 50000	, . oponu,				