


1 LOCATION OF WATER WELL: Fraction center SW 1/4 SW 1/4 Section Number 13 Township Number T 11 S Range Number R 15 **E/W**
 County: Shawnee
 Distance and direction from nearest town or city: Street address of well if located within city? 2901 N.W. U.S. Hwy 24 Topeka

2 WATER WELL OWNER: J. Skinner Wholesale Nursery
 RR#, St. Address, Box #: P.O. Bx. 8068
 City, State, ZIP Code: Topeka Ks. 66608
 Board of Agriculture, Division of Water Resources
 Application Number: 38,656

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 55 ft. ELEVATION: 10-29-87 ft.
 Depth(s) Groundwater Encountered 1. 17 ft. 2. 17 ft. 3. 10-29-87 ft.
 WELL'S STATIC WATER LEVEL: 17 ft. below land surface measured on mo/day/yr 10-29-87
 Pump test data: Well water was 31 ft. after 1 hours pumping 75 gpm
 Est. Yield 200 gpm: Well water was 38 ft. after 1 hours pumping 75 gpm
 Bore Hole Diameter: 24 in. to 55 ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter 12 in. to 45 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 45 ft. to 55 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 17 ft. to 55 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 17 ft. to 0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? S.E. How many feet? 300

| FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG |
|------|----|---------------------------|------|----|----------------|
| 0 | 3 | Black silt | | | |
| 3 | 26 | Hard brown silt | | | |
| 26 | 39 | Small-medium brown gravel | | | |
| 39 | 43 | Medium-large brown gravel | | | |
| 43 | 55 | Medium-large green gravel | | | |
| | 55 | Stopped | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-27-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 323 This Water Well Record was completed on (mo/day/yr) 11-6-87 under the business name of Hoobler Drilling Co. by (signature) Dan Hoobler
 INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

05-8700000272

OFFICE USE ONLY
T
R
EW
SEC
14
14
14