

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Shawnee</u>	<u>SW 1/4 SW 1/4 SW 1/4</u>	<u>31</u>	T <u>11 S</u>	R <u>15 EW</u>

Distance and direction from nearest town or city street address of well if located within city?
2.2 miles west of 10th: Wangmaker 1/2 mile south on Indian Hills Rd

2 WATER WELL OWNER: Indian Hills Landfill (GP-2)
 RR#, St. Address, Box #: 1200 SW Indian Hills Rd
 City, State, ZIP Code: Topeka KS
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
	NW	NE	
W			E
	SW	SE	
			S

4 DEPTH OF COMPLETED WELL... 32.9 ft. ELEVATION: 1013.64
 Depth(s) Groundwater Encountered 1. 999 ft. 2. --- ft. 3. --- ft.
 WELL'S STATIC WATER LEVEL 999 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was --- ft. after --- hours pumping --- gpm
 Est. Yield --- gpm: Well water was --- ft. after --- hours pumping --- gpm
 Bore Hole Diameter 5.718 in. to 32.9 ft., and --- in. to --- ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Gas probe
 Was a chemical/bacteriological sample submitted to Department? Yes --- No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes --- No X

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>---</u> Clamped <u>---</u>
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded <u>---</u>
Blank casing diameter <u>---</u> in. to <u>10</u> ft., Dia <u>---</u> in. to <u>---</u> ft., Dia <u>---</u> in. to <u>---</u> ft.	Blank casing height above land surface <u>30</u> in., weight <u>Sch 40</u> lbs./ft. Wall thickness or gauge No. <u>---</u>	7 Fiberglass	10 Asbestos-cement	Threaded <u>X</u>
TYPE OF SCREEN OR PERFORATION MATERIAL:				11 Other (specify) <u>---</u>
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	12 None used (open hole)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:				11 None (open hole)
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
7 Torch cut	10 Other (specify) <u>---</u>			
SCREEN-PERFORATED INTERVALS: From <u>10</u> ft. to <u>32.9</u> ft., From <u>---</u> ft. to <u>---</u> ft., From <u>---</u> ft. to <u>---</u> ft.				
GRAVEL PACK INTERVALS: From <u>13.0</u> ft. to <u>32.9</u> ft., From <u>---</u> ft. to <u>---</u> ft., From <u>---</u> ft. to <u>---</u> ft.				

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ---
 Grout Intervals: From 3.29 ft. to 0 ft., From --- ft. to --- ft., From --- ft. to --- ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage

Direction from well?		LITHOLOGIC LOG	How many feet?		PLUGGING INTERVALS
FROM	TO		FROM	TO	
			0.0	32.9	Pure Gold Volclay Grout

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 11/9/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 11/29/94 under the business name of Terracon Consultants Inc by (signature) Richard Dunning