14/4	TER WELL RECORD	Form \M\MC-F	KSA 922-12	12 ID No				
1 LOCATION OF WATER WELL:	Fraction	Form WWC-5	KSA 82a-12	n Number		ship Number	Range Nu	umber
County: Shawnee		F 14 NE 14	3		Т		R 16	_
Distance and direction from nearest tow					<u> </u>		<u> </u>	
	ed in Topek			operty	alone	RR wacke		
WATER WELL OWNER: BASE	- Judy McDo	noveh		1	att of	1010 700000,		
RR#, St. Address, Box # : 4515					Poor	d of Agricultura F	Viviaion of Motor	Docouroos
,	as City, KS 6	4106				d of Agriculture, D cation Number:	nvision of water	nesources
LOCATE WELL'S LOCATION WITH	A DEPTH OF COMPL	ETED WELL 3	ما	ft FLEVAT				
AN "X" IN SECTION BOX:	Depth(s) Groundwater	Encountered 1	7,8	. M. LLL 7/11	2 -	- # 2		ft
N N	WELL'S STATIC WATI	ER LEVEL 28.4	ft. below	land surface	e measured	on mo/day/yr	11-29-04	
		data: Well water						
Est. Yield								
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
W								
	•		•					
sw se	Was a chemical/hacte	riological sample si	hmitted to De	nartment? V	'es No	X If yes n	no/day/yrs samn	le was sub-
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was su mitted Water Well Disinfected? Yes No								
S TYPE OF BLANK CASING USED:	E 14/-	aabt iva.a	9. Consusta	#II.a	CACII	IC IOINTS: Chia	d Clama	
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SF		ought iron bestos-Cement	8 Concrete 9 Other (sp			NG JOINTS: Glue Welc	ded	
2 PVC 4 ABS	,	erglass					aded	
Blank casing diameter	in. to ユゾ	e ft., Dia		in. to	-	ft., Dia	in. to	ft.
Casing height above land surface	Flyshmount in	., weight			lbs./ft. Wall	thickness or guag	ge No. Sc4. 4	ō
TYPE OF SCREEN OR PERFORATIO	N MATERIAL:	-	O PVC			10 Asbestos-Cen	nent	
1 Steel 3 Stainless Steel 5 Fiberglass			8 RMP (SR) 11 Other (Specify)					
2 Brass 4 Galvaniz	ed Steel 6 Co	ncrete tile	9 ABS			12 None used (or	en hole)	
SCREEN OR PERFORATION OPENIN	IGS ARE:		d wrapped		8 Saw ci		11 None (oper	n hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							4	
2 Louvered shutter 4 K	ey punched	7 Torch o				• • • • • • • • • • • • • • • • • • • •		
SCREEN-PERFORATED INTERVALS:		ft. to	<u></u>	ft., From		ft. to		ft.
GRAVEL PACK INTERVALS	From2-4	ft. to	360	ft., From		ft. to		
CHAVLET ACK INTERVALO	From	ft. to		ft., From		ft. to	, 	ft.
6 GROUT MATERIAL:1 Neat	t cement 2 (Cement grout	3 Benton	ite 4				
Grout Intervals: From		. ft., From	ft. to .			n	ft. to	ft.
What is the nearest source of possible				10 Liveste			Abandoned wate	
1 Septic tank 4 Lateral lines 7 Pit priv								
2 Sewer lines 5 Cess pool 8 Sewag							Jow)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage American Land Fill							T.I.J	
Direction from well?				How man	y feet?			
FROM TO	LITHOLOGIC LOG		FROM	ТО		PLUGGING IN	ITERVALS	
0 22 Clayey	Sary, Stiff	dans						
22 36 Sand	medium, 100	se i						
			1					
						¥		
		,						-
7			⊘					
CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION:	This water well was	construct	ed, (2) reco	nstructed,	or (3) plugged un	der my jurisdiction	on and was
completed on (mo/day/year)	7.7	This 144-4- 14	Vall Dage of	. and this red	cord is true t	o the best of my k	nowledge and be	liet. Kansas
vvater vveii Contractor's Licence No	/ // /	I his Water V	veli Hecord wa	as completed	d on (mo/da signature)	y/yr)	7.	
	v Ground Surta							
INSTRUCTIONS: Use typewriter or ball point pe and Environment, Bureau of Water, Geology Se								
records. Fee of \$5.00 for each constructed well.		,						