

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Blank box for application number

1 LOCATION OF WATER WELL: County: Shawnee, Fraction SW 1/4 SE 1/4 NE 1/4, Section Number 18, Township Number T 1 S, Range Number R 16 E E/W

Distance and direction from nearest town or city street address of well if located within city? In topeka city limits, Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: Ed Stadler, RR#, St. Address, Box #: 2700 NW Rochester, City, State, ZIP Code: Topeka, Ks. 66617

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 2x2 grid with 'X' in the SE quadrant], 4 DEPTH OF COMPLETED WELL: 50 ft., Depth(s) Groundwater Encountered, WELL'S STATIC WATER LEVEL: 30 ft. below land surface, Pump test data, Est. Yield: 75+ gpm, WELL WATER TO BE USED AS: 1 Domestic, 3 Feedlot, 6 Oil field water supply, 9 Dewatering, 12 Other (Specify below), 2 Irrigation, 4 Industrial, 7 Domestic (lawn & garden), 10 Monitoring well, Was a chemical/bacteriological sample submitted to Department? No, Water well disinfected? Yes

5 TYPE OF CASING USED: 1 Steel, 3 RMP (SR), 6 Asbestos-Cement, 9 Other (specify below), 2 PVC, 4 ABS, 7 Fiberglass, CASING JOINTS: Glued, Clamped, Welded, Threaded, Blank casing diameter: 5 in. to ft., Diameter: in. to ft., Diameter: in. to ft., Casing height above land surface: 24 in., Weight: 2.82 lbs./ft., Wall thickness or gauge No.: 258, TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, 7 PVC, 9 ABS, 11 Other (Specify), 2 Brass, 4 Galvanized Steel, 6 Concrete tile, 8 RM (SR), 10 Asbestos-Cement, 12 None used (open hole), SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 3 Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole), 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 8 Saw Cut, 10 Other (specify), SCREEN-PERFORATED INTERVALS: From: 40 ft. to 50 ft., From: ft. to ft., From: ft. to ft., GRAVEL PACK INTERVALS: From: 20 ft. to 50 ft., From: ft. to ft., From: ft. to ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other, Grout Intervals: From: 0 ft. to 20 ft., From: ft. to ft., From: ft. to ft., What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, 16 Other (specify below), 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 14 Abandoned water well, 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer Storage, 15 Oil well/gas well, Direction from well? northeast, How many feet? 135

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-2 top soil, 2-29 brown clay, 29-31 grey clay sandy, 31-35 fine/course sand brown / grey mix/grey clay, 35-43 course sand brown, small pea, med pea, pea 3/8, 43-46 course sand brow, small pea, med pea, pea, 46-50 course sand brown, small pea, med pea, pea 3/8

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-7-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182. This Water Well Record was completed on (mo/day/year) 10-26-06 under the business name of Strader Drilling Co., Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.