			WATER	R WELL RECORD	Form W\	NC-5	KSA 82	2a-1212				
1 LOCATION OF WATER WELL:  County: Shawnee			Fraction NE 1/4	NW 1/4 N	E 1/4		n Numbe 31		nship Numbe		Range Nu	mber E/W
Distance	and direction	on from nearest tow		ddress of well if locat			31	<u> </u>	11 5	S   R	10	Cy
	E Quincy,	<del></del>										
<b>⊢</b>	ER WELL O	1000 514	Jackson St., Suite	410								
	Address, Bo	Topeka, K	(S 66612-1367	410					of Agriculture		Water Re	esources
and the second s									Application Number: ON:			
WITH	AN "X" IN S	ECTION DOV.										
_			Depth(s) Groundwater Encountered 1									
<b>T</b>	1	X	WELL'S STATIC WATER LEVEL 34.9 ft. below land surface measured on mo/day/yr 9/8/2006 Pump test data: Well water was									
ļ ·	~ ~ NW ~ ~	NE										
l o	***************************************											
M K	<del></del>	1 1 - 1	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							IL.		
-			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specif								nelow)	
۱.	~ ~ sw ~ ~	SE	2 Irrigation					10 Monito				
]	1			pacteriological sampl	le submitt	ed to D	epartme	nt? Yes	No <b>√</b> ;			
★	L		submitted						isinfectea?		No y	/
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete	tile	CAS	ING JOINTS:	: Glued	Clamp	ed
1 :	Steel	3 RMP (SR)	(	6 Asbestos-Cement	9 O	ther (sp	ecify be	elow)		Welded		<i></i> .
	PVC	4 ABS		7 Fiberglass					-	Threaded.	-	
1	•			ft., Dia								
,				n., weight			lbs	s./ft. Wall th	ickness or ga	auge No	Sch.	40
		R PERFORATION				PVC			10 Asbestos			
	Steel	3 Stainless s		5 Fiberglass	8		(SR)		11 Other (s			
	Brass	4 Galvanized		6 Concrete tile	-	ABS		0.0	12 None us	٠.	,	\
	Continuous s	RATION OPENING			ed wrapp wrapped			8 Saw o		11 N	one (ope	n noie)
l	Louvered shi			7 Torch	• •				(specify)			
i		TED INTERVALS:		35 ft. to		5	ft I					
JOON LEE.		TEO II VIEL VILO.		ft. to								
	GRAVEL PA	ACK INTERVALS:		31 ft. to								
			From	ft. to			ft., i	From		ft. to		f
6 GRO	JT MATERIA	L: 1 Neat ce	ement 2	Cement grout	(3)€	Bentonit	е	4 Other				
Grout Int	tervals: Fro	m 3	ft. to 28.	ft., From	.28	. ft. to	<b>3</b> 1	l ft,	From	ft.	to	ff
What is	the nearest s	source of possible of	contamination:					estock pens	;	14 Abando		r well
1 Septic tank 4 Lateral						11 Fuel storage				15 Oil well/Gas well		
2 Sewer lines 5 Cess						12 Fertilizer			•			elow)
	atertight sew n from well?	er lines 6 Seepa	ige pit	e pit 9 Feedyard				secticide sto nany feet?	rage			
FROM		1	LITHOLOGIC L	OG	FRO	M	TO	larry reet:	PLUGO	ING INTERV	/ALS	
0	1.5	Topsoil, silty, 1		ft, dry, V. Dark l								
1.5	19			l. consistency, Da								
19	32.5	Clay, v. plastic	, tr. silt, med.	consistency, Dar	k							
32.5	36	Clay, sandy, G	rayish Brown								<u> </u>	
36	45	Sand, tr. grave	l, non-plastic	, wet, Gray								
					_							
								<del> </del>				
						_		<del> </del>				
								MW9S F	lushmount			
	-								me: BM - To	peka Dry Cle	eaners	
								GeoCore #		F 2.7 CH		
7 CONT	RACTOP'S		S CERTIFICATION	ON: This water well w	/as (1)	nstruct	ed (2) r			ged under m	v jurisdic	tion
		on (mo/day/year) .				maii act			rue to the bes			
				. <b>527</b> Th	is Water	Well R					18/0	
1	e business n			Core, Inc.				nature)	Dal	los	, d	
INST	RUCTIONS: Us	se typewriter or ball poir		ESS FIRMLY and PRINT ( , Kansas 66620-0001. Te	clearly. Ple	ase fill in	blanks, u	nderline or circl	e the correct ans	swers. Send to	three copie	es to Kansas
Dena	artment of Health	h and Environment, Bure	eau of Water, Topeka	. Kansas 66620-0001. Te	lephone: 91	3-296-55	45. Send	one to WATER	WELL OWNER	and retain one	for your rec	ords.