

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Shawnee		NE 1/4 NE 1/4 NE 1/4	33	T 11 S	R 16 E/W
Distance and direction from nearest town or city street address of well if located within city? approximately 70 feet south of Seward & Strait Avenues, Topeka, KS, Lat: 39° 3.515', Long: 95° 37.914'					
2 WATER WELL OWNER: Contech					
RR#, St. Address, Box # : 2700 NE Seward Ave			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Topeka, KS 66605			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 55 ft. ELEVATION: Unknown			
		Depth(s) Groundwater Encountered 1 Unknown ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL Unk. ft. below land surface measured on mo/day/yr --			
		Pump test data: Well water was N/A ft. after hours pumping gpm			
		Est. Yield N/A gpm: Well water was N/A ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 55 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded					
Blank casing diameter 2 in. to 50 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 50 ft. to 55 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 48 ft. to 55 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals From 1 ft. to 48 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage TCE plume					
Direction from well? within plume How many feet? --					
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0 3 17 sand & gravel fill					
3 3.5 03 silty clay					
3.5 6 02 silt					
6 12.5 03 silty clay					
12.5 15 -- clayey silt					
15 21 02 silt					
21 25 03 silty clay					
25 55 05 sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 9/15/06 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/yr) 12/20/06					
under the business name of Thiele Geotech, Inc. by (signature) D. J. Jole					
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

+

20

SEC