WATE	R WELL	RECORD	Form WWC-5	Di	vision of W	ater Reso	urces; Ap	p. No.		
1 LOCA	TION OF	WATER WELL:	Fraction	NV.	Section N	umber	Towns	hip Number	Range Number	
Distance	and direction	n from nearest town	or city street address of	well if	Global Pos	sitioning	System	(decimal dam	R 16 E	
County: Shawnee NE 1/2 NE 1/2 SW 1/2 SW 1/2 SW 1/2 T 11S S R 16 Distance and direction from nearest town or city street address of well if located within city? 715 SE 4th Street, Topeka, KS Shawnee NE 1/2 NE 1/2 SW 1/										
					Longitude: W95.66083 °					
2 WATER WELL OWNER: Whelan's Inc.						Elevation: RIM: 886.21 TOC: 885.94				
RR#, St. Address, Box # : 715 SE 4 th Street City, State, ZIP Code : Topeka, KS 66607-1826					Datum: above mean sea level					
3 LOCA	TE WELL	ode : Topeka	COMPLETED WELL		Data Con	ection iv	iemou.	legal survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 25.5 ft. LOCATON ft.										
	I AN "X" I	N Depth(s) Groun	ndwater Encountered 1					£ 2		
1	ION BOX:	WEIL'S STA	ndwater Encountered 1	17 41	ft below lo	nd ou rf o	co mans	urad on mo/d	π.	
SECT	5/10/0/									
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
- sw - se -										
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron & Congrete tile CASING JOINTS: Glored										
1 54	or CASE	2 DMD (SD) 6	Ashestes Coment 0	Other	(analify ha	CASI	ING 101	N15: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded (2) PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 15.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.27 ft., Weight lbs./ft. Wall thickness or gauge No.										
Physics against dismeter 2 in to 155 6 Dia in the 25 ft Dia										
Cosing height below land gurfore 0.27 ft Weight The 16 Weil thickness or course No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15.5 ft. to 25.5 ft. From ft. to ft.										
SCICELIA	-I LIGIOICA	TED HATEKAALS	From	ft to	43.5	- tt. Fre	эш эт)	
GRAVEL PACK INTERVALS: From 14 ft to 25.5 ft From ft to										
From ft to ft From ft to									у В	
SCREEN-PERFORATED INTERVALS: From 15.5 ft. to 25.5 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 14 ft. to 25.5 ft. From ft. to ft. From ft. to ft. From ft. to ft. ft.										
o dicol militaria. I man dement a dement a pomonto () outer concrete, o-a										
Grout Intervals From 2 ft. to 14 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
	ver lines	5 Cess poo						water well	16 Other (specify below)	
									below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? SW 12 Fertilizer storage 15 Oil well/ gas well How many feet? ~50ft.										
FROM	TO		LOGIC LOG			T	T T	THOLOGIC	TOC	
0	1	Sand, fine to medi		FROM 20	1 TO 25	Silty of		THOLOGIC	e plasticity, wet,	
	1	some silt, moist, n		20		no odo		vii, moderati	plasticity, wet,	
3	4	Silty clay, gray-br				no odo	<u> </u>			
		plasticity, stiff, mo								
7	8	Sandy clay, light b								
11	10	moderate plasticit				-				
11	12		moderate plasticity,			1				
12	20	moist, no odor Silty clay, brown,	moderate plasticity,			Flushm	nount w	aiver from B	OW	
		very stiff, moist, n	o odor		-	_				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 3/16/09 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 4/29/09 under the business name of Larsen & Associates, Inc. by (signature)										
1				by (signa		THE	T			
INSTRUCT	TIONS: Please	fill in blanks or circle th	ne correct answers. Send top the	ree copies	to Kansas De	enartment o	of Health a	ER WELL OUR	Bureau of Water,	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. South one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										