	ON OF WATE		Fraction		ORD Forr	1	on Number		hip Number	I	ange Numb	
	Sha			SW :			28		11 s	R	16	
stance an	a airection froi	n nearest	town or city street a	ddress of well 800	ii located wit	min city? 'opeka. K	s					
WATER	WELL OWNE	R: Per				1:					,	
	Idress, Box #							Board of	f Agriculture,	Division of	Water Reso	ources
ity, State, i	ZIP Code	: Top	eka, KS 66616	;				Applicati	ion Number:			
LOCATE	WELL'S LOC	ATON W	ITU		14/51	25	<i>(</i> , <u></u> , <u>,</u> , , , , , , , , , , , , , , ,	ATION				
JAN "X" II	N SECTION B	OX:	Depth(s) Grour WELL'S STATI	COMPLETED	WELL	25	II. ELEV	ATION:				
	K)		Deptn(s) Groun	owater Encou	ntered 11.5	2.0	π.	2		II. 3	11/02/1	^{F1}
	N	in the Contract of the Contrac	WELLSSIAII	on toot data.	/EL	0.4 [[.]	below land s	unace meas	surea on mo/	uay/yı		<u> </u>
			Fot Viold	np test data:	Well water \	was	r	ofter	ان ا	urs pumpini urs pumpin	d	. Gpn
	NW	ŅE	Pur Est. Yield Bore Hole Dian	neter 8 62:	Vicii watei v 5 In to	35	'	ft and		in to	9	. Opn
w w	'x	ļ	E WELL WATER 1 Domesi	TO BE USED	ĀS: 5 Pūl	blic water su	pply	8 Air co	nditioning	11 Injec	tion well	'
		1	1 Domest	ic 3 Feed lo	t 6 Oil	field water s	supply	9 Dewa	itering	12 Othe	r (Specify b	elow)
_	sw	SE	I · I	n 4 Industri								
	i	i	Was a chemica	ıl/bacteriologica	al sample su	bmitted to D						was
<u> </u>			Submitted	menonio					nfected? Ye			
	F BLANK CAS			-	nt Iron							d
1 Ste		-	MP (SR)		os-Cement				\	Welded		
2 PV	C	4 AE	3S		ass				-	Threaded	X	
ank casin	a diameter	2	in. to 2	Ft., 0 Dia		In. to	3	ft Dia		in. to		ft.
asina heia	tht above land	surface	FLUSH	In., weight	SC	H 40	Lbs./ft.	Wall thickn	ess or gauge	e No.		
			TION MATERIAL:	,			PVC					
1 Ste	eel	3 St	ainless steel	5 Fibergl	ass	8	RMP (SR)	11				
	ass	4 Ga	alvanized steel	6 Concre	te tile	9	ABS	12	None used	(open hole	•)	
			NINGS ARE:		5 Gauze	d wrapped			ut 	11 N	one (open h	ole)
	ntinuous slot		3 Mill slot4 Key punched					9 Drilled				
			LS: From						(specify)	ft to		 ft
OINELIN-I	LIN OIMILD	IIN I LIVV										
1A2	ND PACK INT	FRVALS:	From	18	ft to	35	ft. F	rom		ft. to		·
0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						ft. F					
GROUT	MATERIAL:	1 N	eat cement			3 Bent	tonite	4 Other				
		•	ft. to 16	Ft.		Ft.						
rout Interv	als From2		ft. to 10	From3	1.0)to	18	ft. F	rom	tt. t	O	ft
	nearest sourc	e or possi	ble contamination: 4 Lateral line		Pit privy		10 Lives			Oil well/ G		ŧ
	•				Sewage I	agoon		zer storage		CONTRACTOR OF THE PARTY OF THE	ecify below)	
	wer lines atertight sewer		6 Seepage pi		Feedyard	•		icide storage		Mary Control of the last of th	inated S	Carlotte Company
.1 VV=	-	50	C Coopage pi		Jouyara		How many					
	то	CODE	LITHO	LOGIC LOG		FROM	то		PLUGGIN	IG INTERV	ALS	
			Topsoil									
irection fro	1		Cillar Clare									
FROM 0 1	12		Silty Clay									
FROM 0 1	12 35	~	Silty Sand									
FROM 0 1	12			ole								
FROM 0 1	12 35		Silty Sand	ole								
FROM 0 1	12 35		Silty Sand	ole								
FROM 0 1 12	12 35		Silty Sand	ole								
FROM 0 1 12	12 35		Silty Sand	ole								
FROM 0 1 12	12 35		Silty Sand	ole								
FROM 0 1 12	12 35		Silty Sand	ole								<u> </u>
FROM 0 1 12	12 35		Silty Sand	ole								
FROM 0 1 12 35	12 35 TD		Silty Sand End of Boreho									2
FROM 0 1 12 35	12 35 TD		Silty Sand End of Boreho	TION: This wa								
FROM 0 1 12 35	12 35 TD ACTOR'S OR on (mo/day/yr)	Silty Sand End of Boreho NER'S CERTIFICA 11/	TION: This wa		And th	is record is t	rue to the be	est of my kno	owledge an	d belief. Ka	nsas
FROM 0 1 12 35	12 35 TD ACTOR'S OR on (mo/day/yr)	Silty Sand End of Boreho	TION: This wa 02/10 585		And th	is record is t /ater Well Re	rue to the be cord was co	est of my kno	owledge and (mo/day/yr	d belief. Ka) 11/17	nsas