4 1 00471011 0	- \A/A \A/		ER WELL RECORD Fo		KSA 82a-1:		-1	Danie M. C.
1 LOCATION OF			CE CIM	1	ion Number	Township Nun		Range Number
County: Distance and dire			SE ½ SW ddress of well if located w 110 NE Lyman Ro		17 (a. KS	<u> </u>	N	R 16
2 WATER WELL	OWNER · K	DHE-UST Progra		au, ropei	va, NO			
		000 SW Jackson				Roard of Agricul	tura Divinio	on of Water Resource
		opeka, KS 66612				Application Num		on or water Resource
, LOCATE WEL	L'S LOCATON	WITH .						
AN "X" IN SEC	CTION BOX:	LIDEPTH OF	COMPLETED WELL	37	ft. ELEV	ATION:		
T Entractionship	N	Depth(s) Groun	dwater Encountered11.5		ft.	2	ft. 3	F
		WELL'S STATI	C WATER LEVEL	ft.	below land s	urface measured on	mo/day/yr	
NV	V NE .	Pun	np test data: Well water	was	F	t. after	hours pun	npingGpr
83		Est. Yield	Gpm: Well water	was	F	t. after	Hours pur	mpingGpr
g W		E Bore Hole Diam	neter 8.5 In. to	37	,	ft. and	in. to	o
sw	sĒ	WELL WATER 1 Domest	Gpm: Well water neter 8.5 In. to TO BE USED AS: 5 Pr ic 3 Feed lot 6 O	ublic water su I field water :	apply supply	8 Air conditionii 9 Dewatering	ng 11 l	Injection well Other (Specify below
 	x]	2 Irrigation	n 4 Industrial 7 La	iwn and gard	len (domestic) 10 Monitoring v	vell	AS-4
Bennestancantes	S		l/bacteriological sample s	ubmitted to [and the second s
E TYPE OF DIA	NIK O A OIN O N	Submitted			Wa	er Well Disinfected	? Yes	No X
5 TYPE OF BLA		JSED: RMP (SR)	5 Wrought Iron					
2 PVC	THE RESERVE OF THE PARTY OF THE	ABS	6 Asbestos-Cement7 Fiberglass			,	Welded	ed X
hanner and the same of the sam	Accesses the second		Œŧ.					
3lank casing dian	neter	2 in. to 3	5 Dia	In. t	o	_ft., Dia	in	. to f
Casing height abo	ove land surfac	e FLUSH	In., weight S	CH 40	Lbs./ft.	Wall thickness or g	auge No.	
		RATION MATERIAL:				10 Asbes		
1 Steel		Stainless steel	5 Fiberglass	8	RMP (SR)	11 Other	(specify)	
2 Brass		Galvanized steel DPENINGS ARE:		9 ed wrapped	ABS	12 None i		hole) None (open hole)
•	us slot	Accession and a second a second and a second	The state of the s			9 Drilled holes		None (open note)
		4 Key punched	THE PARTY OF THE P				()	
SCREEN-PERFO			35 ft. to		ft. F	rom	ft. to	f
			ft. to					
SAND PA	CK INTERVAL	_S: From	33 ft. to	37	ft. F	rom	ft. to	
		From				rom		
6 GROUT MATE	ERIAL: 1	Neat cement			tonite	4 Other		
	0	E	Ft.	C+				
			From 3	to				ft. tof
vvnat is the heare 1 Septic ta	•	ssible contamination:	7 Dit priva			ock pens		
		4 Lateral lines	, ,		11 Fuels	•	E CONTROCTOR AND ADDRESS OF THE PERSON NAMED IN COLUMN 1	ell/ Gas well
2 Sewer lin		5 Cess pool	8 Sewage	•		zer storage		(specify below)
3 Watertigi Direction from we	nt sewer lines	6 Seepage pit	9 Feedyar	ı	13 Insect	icide storage	Cont	aminated Site
	TO COD	F ITHO	LOGIC LOG	FROM	TO		GING INTE	=RVALS
0	1	Asphalt		- I NOW		I LUC		
	12	Silty Clay						
		Silty Sand, fin	e to very fine					
	37	grained						
37	TD	End of Boreho	ole		-			WALLOW THE TAXABLE PROPERTY OF TAXABLE
			77971044 30641145 1244 1345 1345 1345 1345 1345 1345 1345 13		-			
				-				
					-			
					-			
				1				· · · · · · · · · · · · · · · · · · ·
			TION: This water well wa					
			11/11	And th	is record is tr	ue to the best of my	knowledge	and belief. Kansas
Water Well Contr	actor's License	No.	585	This W	/ater Well Re	cord was completed	d on (mo/da	y/yr) 10/03/11
under the busines	ss name of	Associa	ated Environmenta	ıl, Inc.	В	y (signature) Bra	dleyzป. J	lognson)
	NIO DI 611	in blanks and sizels the as	mant amount on Canad thurs a		as Donartman	t of Health and Enviro	nmont Bellet	Model and Loundary on a