		RECORD	Form '	WWC-5	Div	ision of Water					
Origina	Record [Correction	☐ Chang	ge in Well Use	Reso	ources App. No)	□ Well ID □			
		VATER WEI	L:	Fraction	Sec	tion Number	Township Num		ge Number		
County	: Shawne	е		NW 1/4 SE 1/4 SW 1/2		31	T 11 S		E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and											
Business: Landmark Investors, LLC direction from nearest town or intersection): If at owner's address, check here											
Address: 22602 State Line Road Address: 1000 S. Kansas Avenue, Topeka, KS											
City: Bucyrus State: KS ZIP: 66013											
3 LOCAT					07 .	T	20.0452				
WITH "Y" IN 4 DEPIH OF COMPLETED WELL:47 T. 5 Latitude:											
SECTIO	N BOX:										
, i	1	WELL'S ST	II. Fatic Wa	3) ft., or 4) TER LEVEL: 25	_1Dry Well						
		below l	and surface	e, measured on (mo-day	-vr) 10/06/15	ft. 10/06/15 GPS (unit make/model:)					
NW	NE		above land surface, measured on (mo-day-yr)				(WAAS enabled?				
	NE			vater was							
w	E	after		s pumping							
SW	SF			water was							
	afterhours pumping						6 Elevation: 949.92ft. ☐ Ground Level ■ TOC				
	S S	Rore Hole I	Tiameter	gpm to							
1 r	_	Boic Hoic I		in. to							
	<u>'</u>	O BE USED									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID											
☐ Household 6. ☐ Dewater] Dewaterir	ng: how many wells?		11. Test H	11. Test Hole: well ID				
] Aquifer R	echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
						12. Geothermal: how many bores?					
2. Irrigati					well ID						
3. Feedlo			Air Sparg		Extraction						
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:											
Water well	disinfected	Yes T	NO BY	C Other	CACD	IC IODITC.		1 🗆 37/11	. 		
8 TYPE O	F CASING	JUSED: □S	27 PV	C U Other	CASII	NG JOIN IS:	☐ Glued ☐ Clampe	:d ∐ Welded	I hreaded		
Casing diameter											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel Fiberglass ■ PVC Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT	MATERI	AL: Neat	cement ∟	☐ Cement grout ■ B	entonite ∐ C	Other	Α		•••••		
		αγ π. το ble contaminati		π., rrom	. п. ю	It., From	п. ю	IL.			
Septic			ion: Lateral Lin	es 🔲 Pit Privy		Livestock Pen	s □ Insect	icide Storage			
Sewer			Cess Pool	☐ Sewage La	_	Fuel Storage		doned Water V			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Other (Specify) Unknown source of heavy metals											
				Distance from v			f		O. W. III		
10 FROM	TO		LITHOLO		FROM	TO I	LITHO. LOG (cont.) c	r PLUGGINO	JINTERVALS		
0	1'	Asphalt grav		terial							
1'	5'	Clay, brown									
5'	10.5'	Clay, yellow									
10.5'	22'	Clay, brown									
22'	27'			wnish yellow, dry							
27'		<u>ketusai due</u>	to bearo	ck (shale/limestone							
	Notes:										
					\dashv						
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
				no-day-year)							
Kansas Wa	ter Well Co	ontractor's Lic	ense No	753 This W	ater Well Red	ord was com	pleted on Jano-day-y	year) .1.1 . 6-2	20.15		
under the b	usiness nan	ne of Environ	rmental.V	Vorks.Inc	Si	gnature -					
				ch constructed well to: Ka							
				66612-1367. Mail one to			e for your records. Telep				
Visit us at http	o://www.kdhel	ks.gov/waterwell/	index.html		KSA 82a-12	12		Kevised	7/10/2015		

1000 South Kansas Avenue Monitoring Well GPS

Monitoring Well ID	Lat		Long
MW-1		39.045239	-95.67568
MW-2		39.045366	-95.67572
MW-3		39.045320	-95.67556
MW-4		39.045223	-95.67546
MW-5		39.045459	-95.67543
MW-6 (stickup)		39.045680	-95.67572

