


1 LOCATION OF WATER WELL: Fraction  $\frac{1}{4}$  N  $\frac{1}{2}$  X NW 1/4 Section Number 35 Township Number T 11 S Range Number R 16 E  
 County: Shawnee  
 Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Kansas Dept. of Health & Environment  
 RR#, St. Address, Box #: Bldg. 740, Forbes Field Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Topeka, KS 66620 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL... 45.23 ft. ELEVATION: 871.44  
 Depth(s) Groundwater Encountered 1. 22.0 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 21.03 ft. below land surface measured on mo/day/yr 1/20/88  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 6 in. to ft., and in. to ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Monitoring  
 Was a chemical/bacteriological sample submitted to Department? Yes  No ; if yes, mo/day/yr sample was submitted 1/22/88 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 Blank casing diameter 2 in. to 32.20 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface 1.9 feet weight lbs./ft. Wall thickness or gauge No. Schedule 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 45.23 ft. to 30.23 ft. From ft. to ft.  
 GRAVEL PACK INTERVALS: From Natural Pack throughout Screened Zone ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout intervals: From 18 ft. to surface From ft. to ft. From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage Demolition Land fill  
 Direction from well? How many feet? 1000 estimated

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	Soil, dark gray-brown			
15	13	Silty clay, brown, very moist			
13	17	Silt, light to med-brown, sandy, very moist			
17	22	Silt, light to medium brown, slightly sandy			
22	24	Sand, fine to medium-grained, moist to wet			
24	35	Sand, medium-grained, saturated			
35	53	Sand, med-grained with coarse beds			
53	53	gray-green sandy shale, very firm			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/14/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 1/26/88 under the business name of Kansas Dept. of Health & Environment by (signature) Walter W. Glastarb

OFFICE USE ONLY  
T  
R  
EM  
SEC