


1 LOCATION OF WATER WELL: 089 Fraction ~~SE 1/4~~ ~~NE 1/4~~ ~~NW 1/4~~ Section Number 27 Township Number T 11 S Range Number R 16 E/W

Distance and direction from nearest town or city street address of well if located within city?

Billard Airport, Topeka, Kansas

2 WATER WELL OWNER: Metropolitan Topeka Airport Authority Attn: D. Stremming  
 RR#, St. Address, Box #: P.O. Box 19053, Topeka, Ks 66619 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 35 ft. ELEVATION: 880.19  
 Depth(s) Groundwater Encountered 1. 27.5 ft. 2. — ft. 3. — ft.  
 WELL'S STATIC WATER LEVEL 27.76 ft. below land surface measured on mo/day/yr 1-19-95  
 Pump test data: Well water was — ft. after — hours pumping — gpm  
 Est. Yield — gpm: Well water was — ft. after — hours pumping — gpm  
 Bore Hole Diameter 8.765 in. to 35 ft. and — in. to — ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW-10  
 Was a chemical/bacteriological sample submitted to Department? Yes — No X If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes — No X

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued — Clamped —  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded —  
 2 PVC 4 ABS 7 Fiberglass Threaded X  
 Blank casing diameter 2 in. to 19.5 ft. Dia. — in. to — ft. Dia. — in. to — ft.  
 Casing height above land surface 24 in., weight Sch. 40 Pipe lbs./ft. Wall thickness or gauge No. —  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) —  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS AREA: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) —  
 SCREEN-PERFORATED INTERVALS: From 19.5 ft. to 34.5 ft. From — ft. to — ft.  
 SAND GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From — ft. to — ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 2-0 ft. to 16 ft. From 16 ft. to 18 ft. From — ft. to — ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated site  
 Direction from well? How many feet?

| FROM | TO   | LITHOLOGIC LOG    | FROM | TO | PLUGGING INTERVALS |
|------|------|-------------------|------|----|--------------------|
| GL   | 2.5  | Soil, Clayey Silt |      |    |                    |
| 2.5  | 14.0 | Clayey Silt       |      |    |                    |
| 14.0 | 25.0 | Silty Clay        |      |    |                    |
| 25.0 | 35.0 | Sand              |      |    |                    |
| 35.0 | TD   | End of Borehole   |      |    |                    |

Flush mount  
 waiver 11-28-94  
 D. Taylor.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-19-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 2-6-95 under the business name of Associated Environmental, Inc by (signature) Dee Phanson for Dain Owen